

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 December 2003 (18.12.2003)

PCT

(10) International Publication Number
WO 03/104404 A2

(51) International Patent Classification⁷: C12N
(21) International Application Number: PCT/US03/17772
(22) International Filing Date: 5 June 2003 (05.06.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/386,651 6 June 2002 (06.06.2002) US
(71) Applicant (*for all designated States except US*): AVALON
PHARMACEUTICALS, INC. [US/US]; 20358 Seneca
Meadows Parkway, Germantown, MD 20876 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventor; and
(75) Inventor/Applicant (*for US only*): EBNER, Reinhard [US/US]; 9906 Shelburne Terrace #316, Gaithersburg, MD 20878 (US).
(74) Agents: GRANT, Alan, J. et al.; Bain, Gilfillan, Cecchi, Stewart & Olstein, 6 Becker Farm Road, Roseland, NJ 07068 (US).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CANCER-LINKED GENE AS TARGET FOR CHEMOTHERAPY

(57) Abstract: Cancer-linked gene sequences, and derived amino acid sequences, are disclosed along with processes for assaying potential antitumor agents based on their modulation of the expression of these cancer-linked genes. Also disclosed are antibodies that react with the disclosed polypeptides and methods of using the antibodies to treat cancerous conditions, such as by using the antibody to target cancerous cells *in vivo* for purposes of delivering therapeutic agents thereto. Also described are methods of diagnosing using the gene sequences as well as the polypeptide sequences, especially for diagnosing prostate cancer.

BEST AVAILABLE COPY

WO 03/104404 A2

CANCER-LINKED GENE AS TARGET FOR CHEMOTHERAPY

This application claims priority of U.S. Provisional Patent Application 60/386,651, filed 6 June 2002, the disclosure of which is hereby incorporated by reference in its entirety.

FIELD OF THE INVENTION

The present invention relates to methods of screening cancer-linked genes and expression products for involvement in the cancer initiation and facilitation process as a means of cancer diagnosis as well as the use of such genes for screening potential anti-cancer agents, including small organic compounds and other molecules, and development of therapeutic agents.

BACKGROUND OF THE INVENTION

Cancer-linked genes are valuable in that they indicate genetic differences between cancer cells and normal cells, such as where a gene is expressed in a cancer cell but not in a non-cancer cell, or where said gene is over-expressed or expressed at a higher level in a cancer as opposed to normal or non-cancer cell. In addition, the expression of such a gene in a normal cell but not in a cancer cell, especially of the same type of tissue, can indicate important functions in the cancerous process. For example, screening assays for novel drugs are based on the response of model cell based systems *in vitro* to treatment with specific compounds. Such genes are also useful in the diagnosis of cancer and the identification of a cell as cancerous.

Gene activity is readily measured by measuring the rate of production of gene products, such as RNAs and polypeptides encoded by such genes. Where genes encode cell surface proteins, appearance of, or alterations in, such proteins, as cell surface markers, are an indication of neoplastic activity.

- 5 Some such screens rely on specific genes, such as oncogenes (or gene mutations). In accordance with the present invention, a cancer-linked gene has been identified and its putative amino acid sequence worked out. Such gene is useful in the diagnosing of cancer, the screening of anticancer agents and the treatment of cancer using such agents, especially in that these genes
- 10 encode polypeptides that can act as markers, such as cell surface markers, thereby providing ready targets for anti-tumor agents such as antibodies, preferably antibodies complexed to cytotoxic agents, including apoptotic agents.

15

BRIEF SUMMARY OF THE INVENTION

- In accordance with the present invention, there is provided herein a
- 20 cancer specific gene, linked especially to prostate cancer, or otherwise involved in the cancer initiating and facilitating process and the derived amino acid sequence thereof, including a number of different transcripts derived from said gene.

- 25 In one aspect, the present invention relates to a process for identifying an agent that modulates the activity of a cancer-related gene comprising:

- (a) contacting a compound with a cell containing a gene that corresponds to a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1 - 18 and under conditions promoting the
- 30 expression of said gene; and

(b) detecting a difference in expression of said gene relative to when said compound is not present

thereby identifying an agent that modulates the activity of a cancer-related gene.

5 In various embodiments of such a process, the cell is a cancer cell and the difference in expression is a decrease in expression. Such polynucleotides may also include those that have sequences identical to SEQ ID NO: 1 - 18.

10 In another aspect, the present invention relates to a process for identifying an anti-neoplastic agent comprising contacting a cell exhibiting neoplastic activity with a compound first identified as a cancer related gene modulator using an assay process disclosed herein and detecting a decrease in said neoplastic activity after said contacting compared to when said contacting does not occur. Such neoplastic activity may include accelerated
15 cellular replication and/or metastasis, and the decrease in neoplastic activity preferably results from the death of the cell, or senescence, terminal differentiation or growth inhibition.

20 The present invention also relates to a process for identifying an anti-neoplastic agent comprising administering to an animal exhibiting a cancer condition an effective amount of an agent first identified according to a process of one of the assays disclosed according to the invention and detecting a decrease in said cancerous condition.

25 The present invention further relates to a process for determining the cancerous status of a cell, comprising determining an increase in the level of expression in said cell of at least one gene that corresponds to a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1 - 18 wherein an elevated expression relative to a known non-
30 cancerous cell indicates a cancerous state or potentially cancerous state. Such elevated expression may be due to an increased copy number.

The present invention additionally relates to an isolated polypeptide, encoded by one of the polynucleotide transcripts disclosed herein, comprising an amino acid sequence homologous to an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26 wherein any difference
5 between said amino acid sequence and the sequence of SEQ ID NO: 19 - 26 is due solely to conservative amino acid substitutions and wherein said isolated polypeptide comprises at least one immunogenic fragment. In a preferred embodiment, the present invention encompasses an isolated polypeptide comprising an amino acid sequence homologous to an amino
10 acid sequence selected from the group consisting of SEQ ID NO: 19 - 26.

The present invention also relates to an antibody that reacts with a polypeptide as disclosed herein, preferably a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 19 -
15 26. Such an antibody may be polyclonal, monoclonal, recombinant or synthetic in origin.

In one such embodiment, said antibody is associated, either covalently or non-covalently, with a cytotoxic agent, for example, an
20 apoptotic agent. Thus, the present invention relates to an immunoconjugate comprising an antibody of the invention and a cytotoxic agent.

The present invention also relates to a process for treating cancer
25 comprising contacting a cancerous cell with an agent having activity against an expression product encoded by a gene sequence selected from the group consisting of SEQ ID NO: 1 - 18. In one such embodiment, the cancerous cell is contacted *in vivo*. In another such embodiment, said agent has affinity for said expression product. In a preferred embodiment, such agent is an
30 antibody disclosed herein, such as an antibody that is specific or selective for, or otherwise reacts with, a polypeptide of the invention. In a preferred

embodiment, the expression product is a polypeptide incorporating an amino acid sequence selected from SEQ ID NO: 19 - 26.

5 The present invention further encompasses an immunogenic composition comprising a polypeptide disclosed herein, as well as compositions formed using antibodies specific for these polypeptides.

10 The present invention is also directed to uses of such compositions. Such uses include a method for treating cancer in an animal afflicted therewith comprising administering to said animal an amount of an immunogenic composition of one or more of the polypeptides disclosed herein where such amount is an amount sufficient to elicit the production of cytotoxic T lymphocytes specific for a polypeptide of the invention, preferably a polypeptide incorporating a sequence of SEQ ID NO: 19 - 26. In a preferred
15 embodiment, the animal to be so treated is a human patient.

DEFINITIONS

20 As used herein, the terms "portion," "segment," and "fragment," when used in relation to polypeptides, refer to a continuous sequence of residues, such as amino acid residues, which sequence forms a subset of a larger sequence. For example, if a polypeptide were subjected to treatment with any of the common endopeptidases, such as trypsin or chymotrypsin, the oligopeptides
25 resulting from such treatment would represent portions, segments or fragments of the starting polypeptide. When used in relation to a polynucleotides, such terms refer to the products produced by treatment of said polynucleotides with any of the common endonucleases.

30 As used herein, the term "isolated" means that the material is removed from its original environment (e.g., the natural environment if it is naturally occurring). It could also be produced recombinantly and subsequently purified.

For example, a naturally-occurring polynucleotide or polypeptide present in a living animal is not isolated, but the same polynucleotide or polypeptide, separated from some or all of the coexisting materials in the natural system, is isolated. Such polynucleotides, for example, those prepared recombinantly, could be part of a vector and/or such polynucleotides or polypeptides could be part of a composition, and still be isolated in that such vector or composition is not part of its natural environment. In one embodiment of the present invention, such isolated, or purified, polypeptide is useful in generating antibodies for practicing the invention, or where said antibody is attached to a cytotoxic or cytolytic agent, such as an apoptotic agent.

The term "percent identity" or "percent identical," when referring to a sequence, means that a sequence is compared to a claimed or described sequence after alignment of the sequence to be compared (the "Compared Sequence") with the described or claimed sequence (the "Reference Sequence"). The Percent Identity is then determined according to the following formula:

$$\text{Percent Identity} = 100 [1 - (C/R)]$$

wherein C is the number of differences between the Reference Sequence and the Compared Sequence over the length of alignment between the Reference Sequence and the Compared Sequence wherein (i) each base or amino acid in the Reference Sequence that does not have a corresponding aligned base or amino acid in the Compared Sequence and (ii) each gap in the Reference Sequence and (iii) each aligned base or amino acid in the Reference Sequence that is different from an aligned base or amino acid in the Compared Sequence, constitutes a difference; and R is the number of bases or amino acids in the Reference Sequence over the length of the alignment with the Compared Sequence with any gap created in the Reference Sequence also being counted as a base or amino acid.

If an alignment exists between the Compared Sequence and the Reference Sequence for which the percent identity as calculated above is about equal to or greater than a specified minimum Percent Identity then the Compared Sequence has the specified minimum percent identity to the Reference Sequence even though alignments may exist in which the hereinabove calculated Percent Identity is less than the specified Percent Identity.

As known in the art "similarity" between two polypeptides is determined by comparing the amino acid sequence and its conserved amino acid substitutes of one polypeptide to the sequence of a second polypeptide.

In accordance with the present invention, the term "DNA segment" or "DNA sequence" refers to a DNA polymer, in the form of a separate fragment or as a component of a larger DNA construct, which has been derived from DNA isolated at least once in substantially pure form, i.e., free of contaminating endogenous materials and in a quantity or concentration enabling identification, manipulation, and recovery of the segment and its component nucleotide sequences by standard biochemical methods, for example, using a cloning vector. Such segments are provided in the form of an open reading frame uninterrupted by internal nontranslated sequences, or introns, which are typically present in eukaryotic genes. Sequences of non-translated DNA may be present downstream from the open reading frame, where the same do not interfere with manipulation or expression of the coding regions.

The term "coding region" refers to that portion of a gene which either naturally or normally codes for the expression product of that gene in its natural genomic environment, i.e., the region coding *in vivo* for the native expression product of the gene. The coding region can be from a normal, mutated or altered gene, or can even be from a DNA sequence, or gene, wholly synthesized in the laboratory using methods well known to those of skill in the art of DNA synthesis.

In accordance with the present invention, the term "nucleotide sequence" refers to a heteropolymer of deoxyribonucleotides. Generally, DNA segments encoding the proteins provided by this invention are assembled
5 from cDNA fragments and short oligonucleotide linkers, or from a series of oligonucleotides, to provide a synthetic gene which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial, eukaryotic or viral operon.

10 The term "expression product" means that polypeptide or protein that is the natural translation product of the gene and any nucleic acid sequence coding equivalents resulting from genetic code degeneracy and thus coding for the same amino acid(s).

15 The term "active fragment," when referring to a coding sequence, means a portion comprising less than the complete coding region whose expression product retains essentially the same biological function or activity as the expression product of the complete coding region.

20 The term "primer" means a short nucleic acid sequence that is paired with one strand of DNA and provides a free 3'-OH end at which a DNA polymerase starts synthesis of a deoxyribonucleotide chain.

The term "promoter" means a region of DNA involved in binding of RNA
25 polymerase to initiate transcription. The term "enhancer" refers to a region of DNA that, when present and active, has the effect of increasing expression of a different DNA sequence that is being expressed, thereby increasing the amount of expression product formed from said different DNA sequence.

30 The term "open reading frame (ORF)" means a series of triplets coding for amino acids without any termination codons and is a sequence (potentially) translatable into protein.

As used herein, reference to a "DNA sequence" includes both single stranded and double stranded DNA. Thus, the specific sequence, unless the context indicates otherwise, refers to the single strand DNA of such sequence, the duplex of such sequence with its complement (double stranded DNA) and the complement of such sequence.

As used herein, "corresponding genes" refers to genes that encode an RNA that is at least 90% identical, preferably at least 95% identical, most preferably at least 98% identical, and especially identical, to an RNA encoded by one of the nucleotide sequences disclosed herein (i.e., SEQ ID NO: 1 - 18). Such genes will also encode the same polypeptide sequence as any of the sequences disclosed herein, preferably SEQ ID NO: 1 - 18, but may include differences in such amino acid sequences where such differences are limited to conservative amino acid substitutions, such as where the same overall three dimensional structure, and thus the same antigenic character, is maintained. Thus, amino acid sequences may be within the scope of the present invention where they react with the same antibodies that react with polypeptides comprising the sequences of SEQ ID NO: 19 - 26. A "corresponding gene" includes splice variants thereof.

The genes identified by the present disclosure are considered "cancer-related" genes, as this term is used herein, and include genes expressed at higher levels (due, for example, to elevated rates of expression, elevated extent of expression or increased copy number) in cancer cells relative to expression of these genes in normal (i.e., non-cancerous) cells where said cancerous state or status of test cells or tissues has been determined by methods known in the art, such as by reverse transcriptase polymerase chain reaction (RT-PCR) as described in the Examples herein. In specific embodiments, this relates to the genes whose sequences correspond to the sequences of SEQ ID NO: 1 - 18.

As used herein, the term "conservative amino acid substitutions" are defined herein as exchanges within one of the following five groups:

I. Small aliphatic, nonpolar or slightly polar residues:

Ala, Ser, Thr, Pro, Gly;

5 II. Polar, negatively charged residues and their amides:

Asp, Asn, Glu, Gln;

III. Polar, positively charged residues:

His, Arg, Lys;

IV. Large, aliphatic, nonpolar residues:

10 Met Leu, Ile, Val, Cys

V. Large, aromatic residues:

Phe, Tyr, Trp

15

DETAILED SUMMARY OF THE INVENTION

20 The present invention relates to processes for utilizing a nucleotide sequence for a cancer-linked gene, polypeptides encoded by such sequences and antibodies reactive with such polypeptides in methods of treating and diagnosing cancer, preferably prostate cancer, and in carrying out screening assays for agents effective in reducing the activity of cancer-linked genes and thereby treating a cancerous condition.

25

The proteins useful in the invention are anion transport proteins and are specific for prostate tissue as well as being specific for prostate cancer. Thus, the presence of such antigens is diagnostic for prostate cancer.

30 The polypeptides disclosed herein incorporate various polynucleotide transcripts (SEQ ID NO: 1 - 18) and the derived amino acid sequence (SEQ ID NO: 19 - 26) from said transcripts are available as targets for

chemotherapeutic agents, especially anti-cancer agents, including antibodies specific for said polypeptides.

The cancer-related polynucleotide sequences disclosed herein
5 correspond to gene sequences whose expression is indicative of the
cancerous status of a given cell. Such sequences are substantially identical to
SEQ ID NO: 1 - 18, which represent different transcripts identified from the
GenBank EST database and which exhibit cancer-specific expression. The
polynucleotides of the invention are those that correspond to a sequence of
10 SEQ ID NO: 1 - 18. Such sequences have been searched within the GenBank
database, especially the EST database, with the following results:

15	Type:	Cell-surface tumor antigen therapeutic antibody target
	Tissue:	prostate
	AffyFragment-ID(s):	104504
20	Accession(s):	AF071202
	Unigene cluster-ID(s):	Hs.139336 ATP-binding cassette, sub-family C (CFTR/MRP), member 4
25	Chromosomal location:	13

The nucleotides and polypeptides, as gene products, used in the
30 processes of the present invention may comprise a recombinant polynucleotide
or polypeptide, a natural polynucleotide or polypeptide, or a synthetic
polynucleotide or polypeptide, or a recombinant polynucleotide or polypeptide.

Fragments of such polynucleotides and polypeptides as are disclosed
35 herein may also be useful in practicing the processes of the present invention.
For example, a fragment, derivative or analog of the polypeptide (SEQ ID NO:
19 - 26) may be (i) one in which one or more of the amino acid residues are

substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or (ii) one in which one or more of the amino acid residues includes a substituent group, or (iii) one in which the mature polypeptide is fused with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) one in which the additional amino acids are fused to the mature polypeptide, such as a leader or secretory sequence or a sequence which is employed for purification of the mature polypeptide (such as a histidine hexapeptide) or a proprotein sequence. Such fragments, derivatives and analogs are deemed to be within the scope of those skilled in the art from the teachings herein.

In another aspect, the present invention relates to an isolated polypeptide, including a purified polypeptide, comprising an amino acid sequence at least 90% identical to the amino acid sequence of SEQ ID NO: 19 – 26. In preferred embodiments, said isolated polypeptide comprises an amino acid sequence having sequence identity of at least 95%, preferably at least about 98%, and especially is identical to, the sequence of SEQ ID NO: 19 - 26. The present invention also includes isolated active fragments of such polypeptides where said fragments retain the biological activity of the polypeptide or where such active fragments are useful as specific targets for cancer treatment, prevention or diagnosis. Thus, the present invention relates to any polypeptides, or fragments thereof, with sufficient sequence homology to the sequences disclosed herein as to be useful in the production of antibodies that react with (i.e., are selective or specific for) the polypeptides of SEQ ID NO: 19 - 26 so as to be useful in targeting cells that exhibit such polypeptides, or fragments, on their surfaces, thereby providing targets for such antibodies and therapeutic agents associated with such antibodies.

The polynucleotides and polypeptides useful in practicing the processes of the present invention may likewise be obtained in an isolated or purified form. In addition, the polypeptide disclosed herein as being useful in practicing the

processes of the invention are believed to be surface proteins present on cells, such as cancerous cells. Precisely how such cancer-linked proteins are used in the processes of the invention may thus differ depending on the therapeutic approach used. For example, cell-surface proteins, such as receptors, are
5 desirable targets for cytotoxic antibodies that can be generated against the polypeptides disclosed herein.

The sequence information disclosed herein, as derived from the GenBank submissions, can readily be utilized by those skilled in the art to
10 prepare the corresponding full-length polypeptide by peptide synthesis. The same is true for either the polynucleotides or polypeptides disclosed herein for use in the methods of the invention.

The present invention relates to an isolated polypeptide, encoded by
15 one of the polynucleotide transcripts disclosed herein, comprising an amino acid sequence homologous to an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26, wherein any difference between amino acid sequence in the isolated polypeptide and the sequence of SEQ ID NO: 19 - 26 is due solely to conservative amino acid substitutions and
20 wherein said isolated polypeptide comprises at least one immunogenic fragment. In a preferred embodiment, the present invention encompasses an isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26.

25 Methods of producing recombinant cells and vectors useful in preparing the polynucleotides and polypeptides disclosed herein are well known to those skilled in the molecular biology art. See, for example, Sambrook, et al., *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor, N.Y., (1989), Wu et al., *Methods in Gene Biotechnology* (CRC
30 Press, New York, NY, 1997), and *Recombinant Gene Expression Protocols*, in *Methods in Molecular Biology*, Vol. 62, (Tuan, ed., Humana Press, Totowa, NJ, 1997), the disclosures of which are hereby incorporated by reference.

In one aspect, the present invention relates to a process for identifying an agent that modulates the activity of a cancer-related gene comprising:

(a) contacting a compound with a cell containing a gene that corresponds to a polynucleotide having a sequence selected from the group
5 consisting of SEQ ID NO: 1 - 18 and under conditions promoting the expression of said gene; and

(b) detecting a difference in expression of said gene relative to when said compound is not present

thereby identifying an agent that modulates the activity of a cancer-
10 related gene.

In specific embodiments of such process the cell is a cancer cell and the difference in expression is a decrease in expression. Such polynucleotides may also include those that have sequences identical to SEQ
15 ID NO: 1 - 18.

In another aspect, the present invention relates to a process for identifying an anti-neoplastic agent comprising contacting a cell exhibiting neoplastic activity with a compound first identified as a cancer related gene
20 modulator using an assay process disclosed herein and detecting a decrease in said neoplastic activity after said contacting compared to when said contacting does not occur. Such neoplastic activity may include accelerated cellular replication and/or metastasis, and the decrease in neoplastic activity preferably results from the death of the cell.

25

The present invention also relates to a process for identifying an anti-neoplastic agent comprising administering to an animal exhibiting a cancer condition an effective amount of an agent first identified according to a process of one of one of the assays disclosed according to the invention and
30 detecting a decrease in said cancerous condition.

In specific embodiments of the present invention, the genes useful for the invention comprise genes that correspond to polynucleotides having a sequence selected from SEQ ID NO: 1 - 18, or may comprise the sequence of any of the polynucleotides disclosed herein (where the latter are cDNA
5 sequences).

In accordance with the present invention, such assays rely on methods of determining the activity of the gene in question. Such assays are advantageously based on model cellular systems using cancer cell lines,
10 primary cancer cells, or cancerous tissue samples that are maintained in growth medium and treated with compounds at a single concentration or at a range of concentrations. At specific times after treatment, cellular RNAs are conveniently isolated from the treated cells or tissues, which RNAs are indicative of expression of selected genes. The cellular RNA is then divided
15 and subjected to differential analysis that detects the presence and/or quantity of specific RNA transcripts, which transcripts may then be amplified for detection purposes using standard methodologies, such as, for example, reverse transcriptase polymerase chain reaction (RT-PCR), etc. The presence or absence, or concentration levels, of specific RNA transcripts are
20 determined from these measurements. The polynucleotide sequences disclosed herein are readily used as probes for the detection of such RNA transcripts and thus the measurement of gene activity and expression.

The polynucleotides of the invention can include fully operational genes
25 with attendant control or regulatory sequences or merely a polynucleotide sequence encoding the corresponding polypeptide or an active fragment or analog thereof.

Because expression of the polynucleotide sequences disclosed herein
30 are specific to the cancerous state, useful gene modulation is downward modulation, so that, as a result of exposure to an antineoplastic agent identified by the screening assays herein, the corresponding gene of the

cancerous cell is expressed at a lower level (or not expressed at all) when exposed to the agent as compared to the expression when not exposed to the agent. For example, the gene sequences disclosed herein (SEQ ID NO: 1 - 18) correspond to a gene expressed at a higher level in cells of prostate cancer than in normal prostate cells. Thus, where said chemical agent causes this gene of the tested cell to be expressed at a lower level than the same genes of the reference, this is indicative of downward modulation and indicates that the chemical agent to be tested has anti-neoplastic activity.

10 In carrying out the assays disclosed herein, relative antineoplastic activity may be ascertained by the extent to which a given chemical agent modulates the expression of genes present in a cancerous cell. Thus, a first chemical agent that modulates the expression of a gene associated with the cancerous state (i.e., a gene corresponding to one or more of the polynucleotide transcripts disclosed herein) to a larger degree than a second chemical agent tested by the
15 assays of the invention is thereby deemed to have higher, or more desirable, or more advantageous, anti-neoplastic activity than said second chemical agent.

The gene expression to be measured is commonly assayed using RNA expression as an indicator. Thus, the greater the level of RNA (for example, messenger RNA or mRNA) detected the higher the level of expression of the
20 corresponding gene. Thus, gene expression, either absolute or relative, is determined by the relative expression of the RNAs encoded by such genes.

25 RNA may be isolated from samples in a variety of ways, including lysis and denaturation with a phenolic solution containing a chaotropic agent (e.g., trizol) followed by isopropanol precipitation, ethanol wash, and resuspension in aqueous solution; or lysis and denaturation followed by isolation on solid support, such as a Qiagen resin and reconstitution in aqueous solution; or lysis
30 and denaturation in non-phenolic, aqueous solutions followed by enzymatic conversion of RNA to DNA template copies.

Normally, prior to applying the processes of the invention, steady state RNA expression levels for the genes, and sets of genes, disclosed herein will have been obtained. It is the steady state level of such expression that is affected by potential anti-neoplastic agents as determined herein. Such steady state levels of expression are easily determined by any methods that are sensitive, specific and accurate. Such methods include, but are in no way limited to, real time quantitative polymerase chain reaction (PCR), for example, using a Perkin-Elmer 7700 sequence detection system with gene specific primer probe combinations as designed using any of several commercially available software packages, such as Primer Express software., solid support based hybridization array technology using appropriate internal controls for quantitation, including filter, bead, or microchip based arrays, solid support based hybridization arrays using, for example, chemiluminescent, fluorescent, or electrochemical reaction based detection systems.

15

The gene expression indicative of a cancerous state need not be characteristic of every cell of a given tissue. Thus, the methods disclosed herein are useful for detecting the presence of a cancerous condition within a tissue where less than all cells exhibit the complete pattern. Thus, for example, a selected gene corresponding to the sequence of SEQ ID NO: 1, may be found, using appropriate probes, either DNA or RNA, to be present in as little as 60% of cells derived from a sample of tumorous, or malignant, tissue. In a highly preferred embodiment, such gene pattern is found to be present in at least 100% of cells drawn from a cancerous tissue and absent from at least 100% of a corresponding normal, non-cancerous, tissue sample.

25

Expression of a gene may be related to copy number, and changes in expression may be measured by determining copy number. Such change in gene copy number may be determined by determining a change in expression of messenger RNA encoded by a particular gene sequence, especially that of SEQ ID NO: 1 - 18. Also in accordance with the present invention, said gene may be a cancer initiating or facilitating gene. In carrying out the methods of

30

the present invention, a cancer facilitating gene is a gene that, while not directly initiating tumor formation or growth, acts, such as through the actions of its expression product, to direct, enhance, or otherwise facilitate the progress of the cancerous condition, including where such gene acts against
5 genes, or gene expression products, that would otherwise have the effect of decreasing tumor formation and/or growth.

Although the expression of a gene corresponding to a sequence of SEQ ID NO: 1 - 18 may be indicative of a cancerous status for a given cell,
10 the mere presence of such a gene may not alone be sufficient to achieve a malignant condition and thus the level of expression of such gene may also be a significant factor in determining the attainment of a cancerous state. Thus, it becomes essential to also determine the level of expression of a gene as disclosed herein, including substantially similar sequences, as a separate
15 means of diagnosing the presence of a cancerous status for a given cell, groups of cells, or tissues, either in culture or *in situ*.

The level of expression of the polypeptides disclosed herein is also a measure of gene expression, such as polypeptides having sequence identical,
20 or similar to, any polypeptide encoded by a sequence of SEQ ID NO: 1 - 18, especially a polypeptide whose amino acid sequence is the sequence of SEQ ID NO: 19 - 26.

In accordance with the foregoing, the present invention specifically
25 contemplates a method for determining the cancerous status of a cell to be tested, comprising determining the level of expression in said cell of a gene that includes one of the nucleotide sequences selected from the sequences of SEQ ID NO: 1 - 18, including sequences substantially identical to said sequences, or characteristic fragments thereof, or the complements of any of
30 the foregoing and then comparing said expression to that of a cell known to be non-cancerous whereby the difference in said expression indicates that said cell to be tested is cancerous.

In accordance with the invention, although gene expression for a gene that includes as a portion thereof one of the sequences of SEQ ID NO: 1 - 18, is preferably determined by use of a probe that is a fragment of such nucleotide sequence, it is to be understood that the probe may be formed from a different portion of the gene. Expression of the gene may be determined by use of a nucleotide probe that hybridizes to messenger RNA (mRNA) transcribed from a portion of the gene other than the specific nucleotide sequence disclosed herein.

10

It should be noted that there are a variety of different contexts in which genes have been evaluated as being involved in the cancerous process. Thus, some genes may be oncogenes and encode proteins that are directly involved in the cancerous process and thereby promote the occurrence of cancer in an animal. In addition, other genes may serve to suppress the cancerous state in a given cell or cell type and thereby work against a cancerous condition forming in an animal. Other genes may simply be involved either directly or indirectly in the cancerous process or condition and may serve in an ancillary capacity with respect to the cancerous state. All such types of genes are deemed with those to be determined in accordance with the invention as disclosed herein. Thus, the gene determined by said process of the invention may be an oncogene, or the gene determined by said process may be a cancer facilitating gene, the latter including a gene that directly or indirectly affects the cancerous process, either in the promotion of a cancerous condition or in facilitating the progress of cancerous growth or otherwise modulating the growth of cancer cells, either *in vivo* or *ex vivo*. In addition, the gene determined by said process may be a cancer suppressor gene, which gene works either directly or indirectly to suppress the initiation or progress of a cancerous condition. Such genes may work indirectly where their expression alters the activity of some other gene or gene expression product that is itself directly involved in initiating or facilitating the progress of a cancerous condition. For example, a gene that encodes a polypeptide,

20
25
30

either wild or mutant in type, which polypeptide acts to suppress of tumor suppressor gene, or its expression product, will thereby act indirectly to promote tumor growth.

5 As noted previously, polynucleotides encoding the same proteins as any of SEQ ID NO: 1 - 18, regardless of the percent identity of such sequences, are also specifically contemplated by any of the methods of the present invention that rely on any or all of said sequences, regardless of how they are otherwise described or limited. Thus, any such sequences are
10 available for use in carrying out any of the methods disclosed according to the invention. Such sequences also include any open reading frames, as defined herein, present within the sequence of SEQ ID NO: 1 - 18.

 Because a gene disclosed according to the invention "corresponds to"
15 a polynucleotide having a sequence of SEQ ID NO: 1 - 18, said gene encodes an RNA (processed or unprocessed, including naturally occurring splice variants and alleles) that is at least 90% identical, preferably at least 95% identical, most preferably at least 98% identical to, and especially identical to, an RNA that would be encoded by, or be complementary to, such as by
20 hybridization with, a polynucleotide having the indicated sequence. In addition, genes including sequences at least 90% identical to a sequence selected from SEQ ID NO: 1 - 18, preferably at least about 95% identical to such a sequence, more preferably at least about 98% identical to such sequence and most preferably comprising such sequence are specifically
25 contemplated by all of the processes of the present invention. Sequences encoding the same proteins as any of these sequences, regardless of the percent identity of such sequences, are also specifically contemplated by any of the methods of the present invention that rely on any or all of said sequences, regardless of how they are otherwise described or limited. The
30 polynucleotide sequences of the invention also include any open reading frames, as defined herein, present within any of the sequences of SEQ ID NO: 1 - 18.

The sequences disclosed herein may be genomic in nature and thus represent the sequence of an actual gene, such as a human gene, or may be a cDNA sequence derived from a messenger RNA (mRNA) and thus represent contiguous exonic sequences derived from a corresponding genomic sequence, or they may be wholly synthetic in origin for purposes of practicing the processes of the invention. Because of the processing that may take place in transforming the initial RNA transcript into the final mRNA, the sequences disclosed herein may represent less than the full genomic sequence. They may also represent sequences derived from ribosomal and transfer RNAs. Consequently, the gene as present in the cell (and representing the genomic sequence) and the polynucleotide transcripts disclosed herein, including cDNA sequences, may be identical or may be such that the cDNAs contain less than the full genomic sequence. Such genes and cDNA sequences are still considered "corresponding sequences" (as defined elsewhere herein) because they both encode the same or related RNA sequences (i.e., related in the sense of being splice variants or RNAs at different stages of processing). Thus, by way of non-limiting example only, a gene that encodes an RNA transcript, which is then processed into a shorter mRNA, is deemed to encode both such RNAs and therefore encodes an RNA complementary to (using the usual Watson-Crick complementarity rules), or that would otherwise be encoded by, a cDNA (for example, a sequence as disclosed herein). Thus, the sequences disclosed herein correspond to genes contained in the cancerous cells (here, prostate cancer) and are used to determine gene activity or expression because they represent the same sequence or are complementary to RNAs encoded by the gene. Such a gene also includes different alleles and splice variants that may occur in the cells used in the methods of the invention, such as where recombinant cells are used to assay for anti-neoplastic agents and such cells have been engineered to express a polynucleotide as disclosed herein, including cells that have been engineered to express such polynucleotides at a higher level than is found in non-engineered cancerous cells or where such recombinant cells

express such polynucleotides only after having been engineered to do so. Such engineering includes genetic engineering, such as where one or more of the polynucleotides disclosed herein has been inserted into the genome of such cell or is present in a vector.

5

Such cells, especially mammalian cells, may also be engineered to express on their surfaces one or more of the polypeptides of the invention for testing with antibodies or other agents capable of masking such polypeptides and thereby removing the cancerous nature of the cell. Such engineering includes both genetic engineering, where the genetic complement of the cells is engineered to express the polypeptide, as well as non-genetic engineering, whereby the cell has been physically manipulated to incorporate a polypeptide of the invention in its plasma membrane, such as by direct insertion using chemical and/or other agents to achieve this result.

15

In accordance with the foregoing, the present invention includes anti-cancer agents that are themselves either polypeptides, or small chemical entities, that affect the cancerous process, including initiation, suppression or facilitation of tumor growth, either *in vivo* or *ex vivo*. Said cancer modulating agent will have the effect of decreasing gene expression.

20

The present invention thus also relates to a method for treating cancer comprising contacting a cancerous cell with an agent having activity against an expression product encoded by a gene or polynucleotide sequence as disclosed herein, such as one having, or corresponding to, the nucleotide sequence of SEQ ID NO: 1 - 18. The present invention also relates to a process for treating cancer comprising contacting a cancerous cell with an agent having activity against an expression product encoded by a gene or polynucleotide sequence corresponding to a sequence selected from the group consisting of SEQ ID NO: 1 - 18. In one such embodiment, the cancerous cell is contacted *in vivo*. In another such embodiment, said agent has affinity for said expression product. In a preferred embodiment, such

25

30

agent is an antibody disclosed herein, such as an antibody that is specific or selective for, or otherwise reacts with, a polypeptide of the invention. In a preferred embodiment, the expression product is a polypeptide incorporating an amino acid sequence selected from SEQ ID NO: 19 - 26.

5

The present invention is also directed to such uses of the compositions of polypeptides and antibodies disclosed herein. Such uses include a process for treating cancer in an animal afflicted therewith comprising administering to said animal an amount of an immunogenic composition of one or more of the polypeptides disclosed herein where such amount is an amount sufficient to elicit the production of cytotoxic T lymphocytes specific for a polypeptide of the invention, preferably a polypeptide incorporating a sequence of SEQ ID NO: 19 - 26. In a preferred embodiment, the animal to be so treated is a human patient.

15

The proteins encoded by the genes disclosed herein due to their expression, or elevated expression, in cancer cells, represent highly useful therapeutic targets for "targeted therapies" utilizing such affinity structures as, for example, antibodies coupled to some cytotoxic agent. In such methodology, it is advantageous that nothing need be known about the endogenous ligands or binding partners for such cell surface molecules. Rather, an antibody or equivalent molecule that can specifically recognize the cell surface molecule (which could include an artificial peptide, a surrogate ligand, and the like) that is coupled to some agent that can induce cell death or a block in cell cycling offers therapeutic promise against these proteins. Thus, such approaches include the use of so-called suicide "bullets" against intracellular proteins. For example, monoclonal antibodies may readily be produced by methods well known in the art, for example, the method of Kohler and Milstein (see: *Nature*, 256:495 (1975)).

25
30

With the advent of methods of molecular biology and recombinant technology, it is now possible to produce antibody molecules by recombinant

means and thereby generate gene sequences that code for specific amino acid sequences found in the polypeptide structure of the antibodies. Such antibodies can be produced by either cloning the gene sequences encoding the polypeptide chains of said antibodies or by direct synthesis of said polypeptide chains, with *in vitro* assembly of the synthesized chains to form active tetrameric (H_2L_2) structures with affinity for specific epitopes and antigenic determinants. This has permitted the ready production of antibodies having sequences characteristic of neutralizing antibodies from different species and sources.

Regardless of the source of the antibodies, or how they are recombinantly constructed, or how they are synthesized, *in vitro* or *in vivo*, using transgenic animals, such as cows, goats and sheep, using large cell cultures of laboratory or commercial size, in bioreactors or by direct chemical synthesis employing no living organisms at any stage of the process, all antibodies have a similar overall 3 dimensional structure. This structure is often given as H_2L_2 and refers to the fact that antibodies commonly comprise 2 light (L) amino acid chains and 2 heavy (H) amino acid chains. Both chains have regions capable of interacting with a structurally complementary antigenic target. The regions interacting with the target are referred to as "variable" or "V" regions and are characterized by differences in amino acid sequence from antibodies of different antigenic specificity.

The variable regions of either H or L chains contains the amino acid sequences capable of specifically binding to antigenic targets. Within these sequences are smaller sequences dubbed "hypervariable" because of their extreme variability between antibodies of differing specificity. Such hypervariable regions are also referred to as "complementarity determining regions" or "CDR" regions. These CDR regions account for the basic specificity of the antibody for a particular antigenic determinant structure.

30

The CDRs represent non-contiguous stretches of amino acids within the variable regions but, regardless of species, the positional locations of

these critical amino acid sequences within the variable heavy and light chain regions have been found to have similar locations within the amino acid sequences of the variable chains. The variable heavy and light chains of all antibodies each have 3 CDR regions, each non-contiguous with the others
5 (termed L1, L2, L3, H1, H2, H3) for the respective light (L) and heavy (H) chains. The accepted CDR regions have been described by Kabat et al., *J. Biol. Chem.* **252**:6609-6616 (1977).

In all mammalian species, antibody polypeptides contain constant (i.e.,
10 highly conserved) and variable regions, and, within the latter, there are the CDRs and the so-called "framework regions" made up of amino acid sequences within the variable region of the heavy or light chain but outside the CDRs.

15 The antibodies disclosed according to the invention may also be wholly synthetic, wherein the polypeptide chains of the antibodies are synthesized and, possibly, optimized for binding to the polypeptides disclosed herein as being receptors. Such antibodies may be chimeric or humanized antibodies and may be fully tetrameric in structure, or may be dimeric and comprise only
20 a single heavy and a single light chain. Such antibodies may also include fragments, such as Fab and F(ab₂)' fragments, capable of reacting with and binding to any of the polypeptides disclosed herein as being receptors.

In one aspect, the present invention relates to immunoglobulins, or
25 antibodies, as described herein, that react with, especially where they are specific for, the polypeptides having amino acid sequences as disclosed herein, preferably those having an amino acid sequence of one of SEQ ID NO: 19 - 26. Such antibodies may commonly be in the form of a composition, especially a pharmaceutical composition. Such antibodies, by themselves,
30 may have therapeutic value in that they are able to bind to, and thereby tie up, surface sites on cancerous cells. Where such sites have some type of function to perform (i.e., where they are surface enzymes, or channel

structures, or structures that otherwise facilitate, actively or passively, the transport of nutrients and other vital materials to the cell. Such nutrients serve to facilitate the growth and replication of the cell and molecules that bind to such sites and thereby interfere with such activities can prove to have a therapeutic effect in that the result of such binding is to remove sources of nutrients from such cells, thereby interfering with growth and replication. In like manner, such binding may serve to remove vital enzyme activities from the cell's functional repertoire, thereby also interfering with viability and/or the ability of the cell to multiply or metastasize. In addition, by binding to such surface sites, the antibodies may serve to prevent the cells from reacting to environmental agents, such as cytokines and the like, that may facilitate growth, replication and metastasis, thereby further reducing the cancerous status of such cell and ameliorating the cancerous condition in a patient, even without proving fatal to the cell or cells so affected.

The methods of the present invention also include processes wherein the cancer cell is contacted *in vivo* as well as *ex vivo* with an agent that comprises a portion, or is part of an overall molecular structure, having affinity for an expression product of a gene corresponding to a polynucleotide sequence as disclosed herein, preferably where the expression product is a cell surface structure, most preferably a polypeptide as disclosed herein, such as one that comprises an amino acid sequence of SEQ ID NO: 19 - 26. In one such embodiment, said portion having affinity for said expression product is an antibody, especially where said expression product is a polypeptide or oligopeptide or comprises an oligopeptide portion, or comprises a polypeptide.

In another aspect, the present invention also relates to an antibody that reacts with a polypeptide as disclosed herein, preferably a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26. Such an antibody may be polyclonal, monoclonal, recombinant or synthetic in origin. In one such embodiment, said antibody is associated, either covalently or non-covalently, with a cytotoxic agent, for example, an apoptotic agent. It is thus contemplated that the antibody acts a

targeted vector for guiding an associated therapeutic agent to a cancerous cell, such as a cell expressing a polypeptide homologous to, if not identical to, a polypeptide as disclosed herein.

5 Where the cytotoxic agent is itself a polypeptide, said may be linked directly to an antibody specific for a surface target on a cancer cell, such as where the polypeptide represents an extension of the amino acid chain of the antibody. In alternative embodiments, such molecules may be covalently linked through a linker sequence of long or short duration, such as an amino
10 acid sequence of 5 to 10 residues in length. Where the cytotoxic agent is some small organic molecule, such as a small organic compound, or some type of apoptotic agent, this may be covalently bonded to the antibody molecule or may be attached by some other type of non-covalent linkage, including hydrophobic and electrostatic linkages. Methods for forming such
15 linkages, especially covalent linkages, are well known to those skilled in the art.

 The antibodies disclosed herein may also serve as targeting vectors for much larger structures, such as liposomes. In one such embodiment, an
20 antibody is part of, or otherwise linked to, or associated with, a membranous structure, preferably a liposome or possibly some type of cellular organelle, which acts as a reservoir for a cytotoxic agent, such as ricin. The antibody then acts to target said liposome to a cancerous tissue in an animal, whereupon the liposome provides a source of cytotoxic agents for localized
25 treatment of a solid tumor or other type of neoplasm.

 The present invention further encompasses an immunogenic composition comprising a polypeptide disclosed herein, as well as compositions formed using antibodies specific for these polypeptides.
30

 Methods well known in the art for making formulations are found in, for example, *Remington: The Science and Practice of Pharmacy*, (19th ed.) Ed.

A.R. Gennaro, 1995, Mack Publishing Company, Easton, PA. Formulations for parenteral administration may, for example, contain excipients, sterile water, or saline, polyalkylene glycols such as polyethylene glycol, oils of vegetable origin, or hydrogenated naphthalenes. Biocompatible, biodegradable
5 lactide polymer, lactide/glycolide copolymer, or polyoxyethylene-polyoxypropylene copolymers may be used to control the release of the compounds. Other potentially useful parenteral delivery systems for agonists of the invention include ethylenevinyl acetate copolymer particles, osmotic pumps, implantable infusion systems, and liposomes. Formulations for
10 inhalation may contain excipients, or example, lactose, or may be aqueous solutions containing, for example, polyoxyethylene-9-lauryl ether, glycocholate and deoxycholate, or may be oily solutions for administration in the form of nasal drops, or as a gel. It should be noted that, where the therapeutic agent to be administered is an immunoconjugate, these sometimes contain
15 chemical linkages that are somewhat labile in aqueous media and therefore must be stored prior to administration in a more stable environment, such as in the form of a lyophilized powder.

Such an agent can be a single molecular structure, comprising both
20 affinity portion and anti-cancer activity portions, wherein said portions are derived from separate molecules, or molecular structures, possessing such activity when separated and wherein such agent has been formed by combining said portions into one larger molecular structure, such as where said portions are combined into the form of an adduct. Said anti-cancer and
25 affinity portions may be joined covalently, such as in the form of a single polypeptide, or polypeptide-like, structure or may be joined non-covalently, such as by hydrophobic or electrostatic interactions, such structures having been formed by means well known in the chemical arts. Alternatively, the anti-cancer and affinity portions may be formed from separate domains of a single
30 molecule that exhibits, as part of the same chemical structure, more than one activity wherein one of the activities is against cancer cells, or tumor formation

or growth, and the other activity is affinity for an expression product produced by expression of genes related to the cancerous process or condition.

In one embodiment of the present invention, a chemical agent, such as
5 a protein or other polypeptide, is joined to an agent, such as an antibody, having affinity for an expression product of a cancerous cell, such as a polypeptide or protein encoded by a gene related to the cancerous process, preferably a gene as disclosed herein according to the present invention, most preferably a polypeptide sequence disclosed herein. Thus, where the
10 presence of said expression product is essential to tumor initiation and/or growth, binding of said agent to said expression product will have the effect of negating said tumor promoting activity. In one such embodiment, said agent is an apoptosis-inducing agent that induces cell suicide, thereby killing the cancer cell and halting tumor growth.

15 Other genes within the cancer cell that are regulated in a manner similar to that of the genes disclosed herein and thus change their expression in a coordinated way in response to chemical compounds represent genes that are located within a common metabolic, signaling, physiological, or functional pathway so that by analyzing and identifying such commonly
20 regulated groups of genes (groups that include the gene, or similar sequences, disclosed according to the invention, one can (a) assign known genes and novel genes to specific pathways and (b) identify specific functions and functional roles for novel genes that are grouped into pathways with genes for which their functions are already characterized or described. For
25 example, one might identify a group of 10 genes, at least one of which is the gene as disclosed herein, that change expression in a coordinated fashion and for which the function of one, such as the polypeptide encoded by the sequence disclosed herein, is known then the other genes are thereby implicated in a similar function or pathway and may thus play a role in the
30 cancer-initiating or cancer-facilitating process. In the same way, if a gene were found in normal cells but not in cancer cells, or happens to be expressed at a higher level in normal as opposed to cancer cells, then a similar

conclusion may be drawn as to its involvement in cancer, or other diseases. Therefore, the processes disclosed according to the present invention at once provide a novel means of assigning function to genes, i.e. a novel method of functional genomics, and a means for identifying chemical compounds that
5 have potential therapeutic effects on specific cellular pathways. Such chemical compounds may have therapeutic relevance to a variety of diseases outside of cancer as well, in cases where such diseases are known or are demonstrated to involve the specific cellular pathway that is affected.

10 The polypeptides disclosed herein, preferably those of SEQ ID NO: 19 - 26, also find use as vaccines in that, where the polypeptide represents a surface protein present on a cancer cell, such polypeptide may be administered to an animal, especially a human being, for purposes of activating cytotoxic T lymphocytes (CTLs) that will be specific for, and act to
15 lyse, cancer cells in said animal. Where used as vaccines, such polypeptides are present in the form of a pharmaceutical composition. The present invention may also employ polypeptides that have the same, or similar, immunogenic character as the polypeptides of SEQ ID NO: 19 - 26 and thereby elicit the same, or similar, immunogenic response after administration
20 to an animal, such as an animal at risk of developing cancer, or afflicted therewith. Thus, the polypeptides disclosed according to the invention will commonly find use as immunogenic compositions.

Expression of a gene corresponding to a polynucleotide disclosed
25 herein, when in normal tissues, may indicate a predisposition towards development of prostate cancer. The encoded polypeptide might then present a potentially useful cell surface target for therapeutic molecules such as cytolytic antibodies, or antibodies attached to cytotoxic, or cytolytic, agents. .

30 The present invention specifically contemplates use of antibodies against the polypeptides encoded by the polynucleotides corresponding to the genes disclosed herein, whereby said antibodies are conjugates to one or

more cytotoxic agents so that the antibodies serve to target the conjugated immunotoxins to a region of cancerous activity, such as a solid tumor. For many known cytotoxic agents, lack of selectivity has presented a drawback to their use as therapeutic agents in the treatment of malignancies. For example, 5 the class of two-chain toxins, consisting of a binding subunit (or B-chain) linked to a toxic subunit (A-chain) are extremely cytotoxic. Thus, such agents as ricin, a protein isolated from castor beans, kills cells at very low concentrations (even less than 10^{-11} M) by inactivating ribosomes in said cells (see, for example, Lord et al., Ricin: structure, mode of action, and some 10 current applications. *Faseb J*, 8: 201-208 (1994), and Blättler et al., Realizing the full potential of immunotoxins. *Cancer Cells*, 1: 50-55 (1989)). While isolated A-chains of protein toxins that functionally resemble ricin A-chain are only weakly cytotoxic for intact cells (in the concentration range of 10^{-7} to 10^{-6} M), they are very potent cytotoxic agents inside the cells. Thus, a single 15 molecule of the A-subunit of diphtheria toxin can kill a cell once inside (see: Yamaizumi et al., One molecule of diphtheria toxin fragment A introduced into a cell can kill the cell. *Cell*, 15: 245-250, 1978).

The present invention solves this selectivity problem by using antibodies specific for antigens present on cancer cells to target the cytotoxins 20 to said cells. In addition, use of antibodies decreases toxicity because the antibodies are non-toxic until they reach the tumor and, because the cytotoxin is bound to the antibody, it is presented with less opportunity to cause damage to non-targeted tissues.

25 In addition, use of such antibodies alone can provide therapeutic effects on the tumor through the antibody-dependent cellular cytotoxic response (ADCC) and complement-mediated cell lysis mechanisms.

A number of recombinant immunotoxins (for example, consisting of Fv 30 regions of cancer specific antibodies fused to truncated bacterial toxins) are well known (see, for example, Smyth et al., Specific targeting of chlorambucil to tumors with the use of monoclonal antibodies, *J. Natl. Cancer Inst.*,

76(3):503-510 (1986); Cho et al., Single-chain Fv/folate conjugates mediate efficient lysis of folate-receptor-positive tumor cells, *Bioconjug. Chem.*, 8(3):338-346 (1997)). As noted in the literature, these may contain, for example, a truncated version of *Pseudomonas* exotoxin as a toxic moiety but
5 the toxin is modified in such a manner that by itself it does not bind to normal human cells, but it retains all other functions of cytotoxicity. Here, recombinant antibody fragments target the modified toxin to cancer cells which are killed, such as by direct inhibition of protein synthesis, or by concomitant induction of apoptosis. Cells that are not recognized by the antibody fragment, because
10 they do not carry the cancer antigen, are not affected. Good activity and specificity has been observed for many recombinant immunotoxins in *in vitro* assays using cultured cancer cells as well as in animal tumor models. Ongoing clinical trials provide examples where the promising pre-clinical data correlate with successful results in experimental cancer therapy. (see, for
15 example, Brinkmann U., Recombinant antibody fragments and immunotoxin fusions for cancer therapy, *In Vivo* (2000) 14:21-27).

While the safety of employing immunoconjugates in humans has been established, *in vivo* therapeutic results have been less impressive. Because
20 clinical use of mouse MAbs in humans is limited by the development of a foreign anti-globulin immune response by the human host, genetically engineered chimeric human-mouse MAbs have been developed by replacing the mouse Fc region with the human constant region. In other cases, the mouse antibodies have been "humanized" by replacing the framework regions
25 of variable domains of rodent antibodies by their human equivalents. Such humanized and engineered antibodies can even be structurally arranged to have specificities and effector functions determined by design and which characteristics do not appear in nature. The development of bispecific antibodies, having different binding ends so that more than one antigenic site
30 can be bound, have proven useful in targeting cancer cells. Thus, such antibody specificity has been improved by chemical coupling to various agents such as bacterial or plant toxins, radionuclides or cytotoxic drugs and other agents. (see, for example, Bodey, B. et al). Genetically engineered

- monoclonal antibodies for direct anti-neoplastic treatment and cancer cell specific delivery of chemotherapeutic agents. *Curr Pharm Des* (2000) Feb;6(3):261-76). See also, Garnett, M. C., Targeted drug conjugates: principles and progress. *Adv. Drug Deliv. Rev.* (2001 Dec 17) **53**(2):171-216;
- 5 Brinkmann et al., Recombinant immunotoxins for cancer therapy. *Expert Opin Biol Ther.* (2001) **1**(4):693-702.

Among the cytotoxic agents specifically contemplated for use as immunoconjugates according to the present invention are Calicheamicin, a

10 highly toxic enediyne antibiotic isolated from *Micromonospora echinospora ssp. Calichensis*, and which binds to the minor groove of DNA to induce double strand breaks and cell death (see: Lee et al., Calicheamicins, a novel family of antitumor antibiotics. 1. Chemistry and partial structure of calicheamicin g₁. *J Am Chem Soc*, **109**: 3464-3466 (1987);

15 Zein et al., Calicheamicin gamma 1I: an antitumor antibiotic that cleaves double-stranded DNA site specifically, *Science*, **240**: 1198-1201 (1988)). Useful derivatives of the calicheamicins include mylotarg and 138H11-Cam θ . Mylotarg is an immunoconjugate of a humanized anti-CD33 antibody (CD33 being found in leukemic cells of most patients with acute myeloid leukemia)

20 and N-acetyl gamma colicheamicin dimethyl hydrazide, the latter of which is readily coupled to an antibody of the present invention (in place of the anti-CD33 but which can also be humanized by substitution of human framework regions into the antibody during production as described elsewhere herein) to form an immunoconjugate of the invention. (see: Hamann et al. Gemtuzumab

25 Ozogamicin, A Potent and Selective Anti-CD33 Antibody-Calicheamicin Conjugate for Treatment of Acute Myeloid Leukemia, *Bioconjug. Chem.* **13**, 47-58 (2002)) For use with 138H11-Cam θ , 138H11 is an anti- γ -glutamyl transferase antibody coupled to theta calicheamicin through a disulfide linkage and found useful *in vitro* against cultured renal cell carcinoma cells.

30 (see: Knoll et al., Targeted therapy of experimental renal cell carcinoma with a novel conjugate of monoclonal antibody 138H11 and calicheamicin θ_1^I , *Cancer Res*, **60**: 6089-6094 (2000) The same linkage may be utilized to link

this cytotoxic agent to an antibody of the present invention, thereby forming a targeting structure for prostate cancer cells.

Also useful in forming the immunoconjugates of the invention is DC1, a
5 disulfide-containing analog of adozelesin, that kills cells by binding to the
minor groove of DNA, followed by alkylation of adenine bases. Adozelesin is a
structural analog of CC-1065, an anti-tumor antibiotic isolated from microbial
fermentation of *Streptomyces zelensis*, and is about 1,000 fold more toxic to
cultured cell lines than other DNA interacting agents, such as cis-platin and
10 doxorubicin. This agent is readily linked to antibodies through the disulfide
bond of adozelesin. (see: Chari et al., Enhancement of the selectivity and
antitumor efficacy of a CC-1065 analogue through immunoconjugate
formation, *Cancer Res*, **55**: 4079-4084 (1995)).

Maytansine, a highly cytotoxic microtubular inhibitor isolated from the
15 shrub *Maytenus serrata* found to have little value in human clinical trials, is
much more effective in its derivatized form, denoted DM1, containing a
disulfide bond to facilitate linkage to antibodies, is up to 10-fold more cytotoxic
(see: Chari et al., Immunoconjugates containing novel maytansinoids:
promising anticancer drugs, *Cancer Res*, **52**: 127-131 (1992)). These same *in*
20 *vitro* studies showed that up to four DM1 molecules could be linked to a single
immunoglobulin without destroying the binding affinity. Such conjugates have
been used against breast cancer antigens, such as the *neu/HER2/erbB-2*
antigen. (see: Goldmacher et al., Immunogen, Inc., (2002) *in press*); also see
Liu, C. et al., Eradication of large colon tumor xenografts by targeted delivery
25 of maytansinoids, *Proc. Natl. Acad. Sci. USA*, **93**, 8618-8623 (1996)). For
example, Liu et al. (1996) describes formation of an immunoconjugate of the
maytansinoid cytotoxin DM1 and C242 antibody, a murine IgG1
immunoglobulin, available from Pharmacia and which has affinity for a mucin-
like glycoprotein variably expressed by human colorectal cancers. The latter
30 immunoconjugate was prepared according to Chari et al., *Cancer Res.*,
52:127-131 (1992) and was found to be highly cytotoxic against cultured colon
cancer cells as well as showing anti-tumor effects *in vivo* in mice bearing

subcutaneous COLO 205 human colon tumor xenografts using doses well below the maximum tolerated dose.

In addition, there are a variety of protein toxins (cytotoxic proteins),
5 which include a number of different classes, such as those that inhibit protein synthesis: ribosome-inactivating proteins of plant origin, such as ricin, abrin, gelonin, and a number of others, and bacterial toxins such as pseudomonas exotoxin and diphtheria toxin.

10 Another useful class is the one including taxol, taxotere, and taxoids. Specific examples include paclitaxel (taxol), its analog docetaxel (taxotere), and derivatives thereof. The first two are clinical drugs used in treating a number of tumors while the taxoids act to induce cell death by inhibiting the de-polymerization of tubulin. Such agents are readily linked to antibodies
15 through disulfide bonds without disadvantageous effects on binding specificity.

In one instance, a truncated *Pseudomonas* exotoxin was fused to an anti-CD22 variable fragment and used successfully to treat patients with
20 chemotherapy-resistant hairy-cell leukemia. (see: Kreitman et al., Efficacy of the anti-CD22 recombinant immunotoxin BL22 in chemotherapy-resistant hairy-cell leukemia, *N Engl J Med*, **345**: 241-247 (2001)) Conversely, the cancer-linked peptides of the present invention offer the opportunity to prepare antibodies, recombinant or otherwise, against the appropriate
25 antigens to target solid tumors, preferably those of malignancies of prostate tissue, using the same or similar cytotoxic conjugates. Thus, many of the previously used immunoconjugates have been formed using antibodies against general antigenic sites linked to cancers whereas the antibodies formed using the peptides disclosed herein are more specific and target the
30 antibody-cytotoxic agent to a particular tissue or organ, thus further reducing toxicity and other undesirable side effects.

In addition, the immunoconjugates formed using the antibodies prepared against the cancer-linked antigens disclosed herein can be formed by any type of chemical coupling. Thus, the cytotoxic agent of choice, along with the immunoglobulin, can be coupled by any type of chemical linkage, 5 covalent or non-covalent, including electrostatic linkage, to form the immunoconjugates of the present invention.

When used as immunoconjugates, the antitumor agents of the present invention represent a class of pro-drugs that are relatively non-toxic when first 10 administered to an animal (due mostly to the stability of the immunoconjugate), such as a human patient, but which are targeted by the conjugated immunoglobulin to a cancer cell where they then exhibit good toxicity. The tumor-related, associated, or linked, antigens, preferably those presented herein, serve as targets for the antibodies (monoclonal, 15 recombinant, and the like) specific for said antigens. The end result is the release of active cytotoxic agent inside the cell after binding of the immunoglobulin portion of the immunoconjugate.

The cited references describe a number of useful procedures for the 20 chemical linkage of cytotoxic agents to immunoglobulins and the disclosures of all such references cited herein are hereby incorporated by reference in their entirety. For other reviews see Ghetie et al., Immunotoxins in the therapy of cancer: from bench to clinic, *Pharmacol Ther*, **63**: 209-234 (1994), Pietersz et al. The use of monoclonal antibody immunoconjugates in cancer therapy, 25 *Adv Exp Med Biol*, **353**:169-179 (1994), and Pietersz, G. A. The linkage of cytotoxic drugs to monoclonal antibodies for the treatment of cancer, *Bioconjug Chem*, **1**:89-95 (1990).

Thus, the present invention provides highly useful cancer-associated 30 antigens for generation of antibodies for linkage to a number of different cytotoxic agents which are already known to have some *in vitro* toxicity and possess chemical groups available for linkage to antibodies.

Because the polypeptides disclosed herein are diagnostic for prostate cancer, the present invention offers a method for diagnosing prostate cancer in a patient comprising determining the presence of a cancer-related polypeptide in one or more prostate cells of said patient wherein said cancer-related polypeptide comprises a polypeptide that reacts with an antibody specific for a polypeptide having an amino acid sequence selected from SEQ ID NO: 19 – 26. In a preferred embodiment thereof, the cancer-related polypeptide comprises a polypeptide of SEQ ID NO: 19 – 26. In a highly preferred embodiment, the cancer-related polypeptide is a member selected from the group consisting of SEQ ID NO: 19 – 26.

The present invention also relates to a process that comprises a method for producing a product, including the generation of test data, comprising identifying an agent according to one of the disclosed processes for identifying such an agent (i.e., the therapeutic agents identified according to the assay procedures disclosed herein) wherein said product is the data collected with respect to said agent as a result of said identification process, or assay, and wherein said data is sufficient to convey the chemical character and/or structure and/or properties of said agent. For example, the present invention specifically contemplates a situation whereby a user of an assay of the invention may use the assay to screen for compounds having the desired enzyme modulating activity and, having identified the compound, then conveys that information (i.e., information as to structure, dosage, etc) to another user who then utilizes the information to reproduce the agent and administer it for therapeutic or research purposes according to the invention. For example, the user of the assay (user 1) may screen a number of test compounds without knowing the structure or identity of the compounds (such as where a number of code numbers are used the first user is simply given samples labeled with said code numbers) and, after performing the screening process, using one or more assay processes of the present invention, then imparts to a second user (user 2), verbally or in writing or some equivalent

fashion, sufficient information to identify the compounds having a particular modulating activity (for example, the code number with the corresponding results). This transmission of information from user 1 to user 2 is specifically contemplated by the present invention.

5

It should be cautioned that, in carrying out the procedures of the present invention as disclosed herein, whether to form immunoconjugates or screen for other antitumor agents using the genes and polypeptides disclosed herein, any reference to particular buffers, media, reagents, cells, culture conditions and the like are not intended to be limiting, but are to be read so as to include all related materials that one of ordinary skill in the art would recognize as being of interest or value in the particular context in which that discussion is presented. For example, it is often possible to substitute one buffer system or culture medium for another and still achieve similar, if not identical, results. Those of skill in the art will have sufficient knowledge of such systems and methodologies so as to be able, without undue experimentation, to make such substitutions as will optimally serve their purposes in using the methods and procedures disclosed herein.

20 The present invention will now be further described by way of the following non-limiting example. In applying the disclosure of the example, it should be kept clearly in mind that other and different embodiments of the methods disclosed according to the present invention will no doubt suggest themselves to those of skill in the relevant art. The following example shows
25 how a potential anti-neoplastic agent may be identified using one or more of the genes disclosed herein.

EXAMPLE

30

Determination of Gene Inhibitory Activity of an Anti-neoplastic Agent

SW480 cells are grown to a density of 10^5 cells/cm² in Leibovitz's L-15 medium supplemented with 2 mM L-glutamine (90%) and 10% fetal bovine serum. The cells are collected after treatment with 0.25% trypsin, 0.02% EDTA at 37°C for 2 to 5 minutes. The trypsinized cells are then diluted with 30 ml growth medium and plated at a density of 50,000 cells per well in a 96 well plate (100 μ l/well). The following day, cells are treated with either compound buffer alone, or compound buffer containing a chemical agent to be tested, for 24 hours. The media is then removed, the cells lysed and the RNA recovered using the RNeasy reagents and protocol obtained from Qiagen. RNA is quantitated and 10 ng of sample in 1 μ l are added to 24 μ l of Taqman reaction mix containing 1X PCR buffer, RNAsin, reverse transcriptase, nucleoside triphosphates, amplitaq gold, tween 20, glycerol, bovine serum albumin (BSA) and specific PCR primers and probes for a reference gene (18S RNA) and a test gene (Gene X). Reverse transcription is then carried out at 48°C for 30 minutes. The sample is then applied to a Perlin Elmer 7700 sequence detector and heat denatured for 10 minutes at 95°C. Amplification is performed through 40 cycles using 15 seconds annealing at 60°C followed by a 60 second extension at 72°C and 30 second denaturation at 95°C. Data files are then captured and the data analyzed with the appropriate baseline windows and thresholds.

The quantitative difference between the target and reference gene is then calculated and a relative expression value determined for all of the samples used. In this way, the ability of a chemotherapeutic agent to effectively and selectively reduce the activity of a cancer-specific gene is readily ascertained. The overall expression of the cancer-specific gene, as modulated by one chemical agent relative to another, is also determined. Chemical agents having the most effect in reducing gene activity are thereby identified as the most anti-neoplastic.

References:

- Walter A. Blättler and Ravi Chari: Drugs to enhance the therapeutic potency of anti-cancer antibodies: antibody-drug conjugates as tumor-activated prodrugs. In *Anticancer Agents - Frontiers in Cancer Chemotherapy* (Iwao Ojima, Gregory D. Vite, Karl-Heinz Altmann, Eds.), American Chemical Society, pp. 317-338 (2001).
- 5
- Dan L. Longo, Patricia L. Duffey, John G. Gribben, Elaine S. Jaffe, Brendan D. Curti, Barry L. Gause, John E. Janik, Virginia M. Braman, Dixie Esseltine, Wyndham H. Wilson, Dwight Kaufman, Robert E. Wittes, Lee M. Nadler, and Walter J. Urba: Combination chemotherapy followed by an Immunotoxin (Anti-B4-blocked Ricin) in patients with indolent lymphoma: results of a Phase II study. *Cancer J.* 6, 146-150 (2000).
- 10
- Walter A. Blättler and John M. Lambert: Preclinical immunotoxin development. In *Monoclonal Antibody-Based Therapy of Cancer* (M. Grossbard, Ed.), Marcel Dekker, Inc. NY, NY, pp. 1-22 (1998).
- 15
- Ravi V. J. Chari: Targeted delivery of chemotherapeutics: tumor-activated prodrug therapy. In *Advanced Drug Delivery Reviews*, Elsevier Science B.V., pp. 89-104 (1998).
- 20
- David T. Scadden, David P. Schenkein, Zale Bernstein, Barry Luskey, John Doweiko, Anil Tulpule, and Alexandra M. Levine: Immunotoxin combined with chemotherapy for patients with AIDS-related Non-Hodgkin's Lymphoma. *Cancer* 83, 2580-2587 (1998).
- 25
- Changnian Liu and Ravi VJ Chari: The development of antibody delivery systems to target cancer with highly potent maytansinoids. *Exp. Opi. Invest. Drugs* 6, 169-172 (1997).
- 30
- A. C. Goulet, Viktor S. Goldmacher, John M. Lambert, C. Baron, Dennis C. Roy and E. Kouassi: Conjugation of blocked ricin to an anti-CD19 monoclonal antibody increases antibody-induced cell calcium mobilization and CD19 internalization. *Blood* 90, 2364-2375 (1997).
- Changnian Liu, John M. Lambert, Beverly A. Teicher, Walter A. Blättler, and Rosemary O'Connor: Cure of multidrug-resistant human B-cell lymphoma xenografts by combinations of anti-B4-blocked ricin and chemotherapeutic drugs. *Blood* 87, 3892-3898 (1996).
- 35
- Rajeeva Singh, Lana Kats, Walter A. Blättler, and John M. Lambert: Formation of N-Substituted 2-Iminothiolanes when amino groups in proteins and peptides are modified by 2-Iminothiolane. *Anal. Biochem.* 236, 114-125 (1996).
- 40
- Changnian Liu, B. Mitra Tadayoni, Elizabeth A. Bourret, Kristin M. Mattocks, Susan M. Derr, Wayne C. Widdison, Nancy L. Kedersha, Pamela D. Ariniello, Victor S. Goldmacher, John M. Lambert, Walter A. Blättler, and Ravi V.J.

Chari: Eradication of large colon tumor xenografts by targeted delivery of maytansinoids. *Proc. Natl. Acad. Sci. USA* 93, 8618-8623 (1996).

- 5 Denis C. Roy, Sophie Ouellet, Christiane Le Houiller, Pamela D. Ariniello, Claude Perreault and John M. Lambert: Elimination of neuroblastoma and small-cell lung cancer cells with an anti-neural cell adhesion molecule immunotoxin. *J. Natl. Cancer Inst.* 88, 1136-1145 (1996).

Walter A. Blättler, Ravi V.J. Chari and John M. Lambert: Immunoconjugates. In *Cancer Therapeutics: Experimental and Clinical Agents*. (B. Teicher, Ed.), Humana Press, Totowa, NJ, pp. 371-394 (1996).

- 10 Michael L. Grossbard, John M. Lambert, Victor S. Goldmacher, Arnold S. Freedman, Jeanne Kinsella, Danny P. Ducello, Susan N. Rabinowe, Laura Elisea, Felice Carol, James A. Taylor, Walter A. Blättler, Carol L. Epstein, and Lee M. Nadler: Anti-B4-blocked Ricin: A phase I trial of 7 day continuous infusion in patients with B-cell neoplasms. *J. Clin. Oncol.* 11, 726-737 (1993).

- 15 Michael L. Grossbard, John G. Gribben, Arnold S. Freedman, John M. Lambert, Jeanne Kinsella, Susan N. Rabinowe, Laura Eliseo, James A. Taylor, Walter A. Blättler, Carol L. Epstein, and Lee M. Nadler: Adjuvant immunotoxin therapy with anti-B4-blocked ricin following autologous bone marrow transplantation for patients with B-cell Non-Hodgkin's lymphoma. *Blood* 81, 2263-2271 (1993).
- 20

Sudhir A. Shah, Patricia M. Halloran, Cynthia A. Ferris, Beth A. Levine, Elizabeth A. Bourret, Victor S. Goldmacher, and Walter A. Blättler: Anti-B4-blocked Ricin immunotoxin shows therapeutic efficacy in four different SCID mouse tumor models. *Cancer Res.* 53, 1360-1367 (1993).

- 25 Ravi V.J. Chari, Bridget A. Martell, Jonathan L. Gross, Sherilyn B. Cook, Sudhir A. Shah, Walter A. Blättler, Sara J. McKenzie, and Victor S. Goldmacher: Immunoconjugates containing novel maytansinoids: promising anti-cancer drugs. *Cancer Res.* 52, 127-131 (1992).

- 30 John M. Lambert, Peter D. Senter, Annie Yau-Young, Walter A. Blättler, and Victor S. Goldmacher: Purified immunotoxins that are reactive with human lymphoid cells. *J. Biol. Chem.* 250, 12035-12041 (1985).

WHAT IS CLAIMED IS:

1. A process for identifying an agent that modulates the activity of a cancer-related gene comprising:
- 5 (a) contacting a compound with a cell containing a gene that corresponds to a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1 - 18 and under conditions promoting the expression of said gene; and
- (b) detecting a difference in expression of said gene relative to when
10 said compound is not present
- thereby identifying an agent that modulates the activity of a cancer-related gene.
- 2 The process of claim 1 wherein said gene has a sequence selected
15 from the group consisting of SEQ ID NO: 1 - 18.
3. The process of claim 1 wherein the cell is a cancer cell and the difference in expression is a decrease in expression.
- 20 4. The process of claim 3 wherein said cancer cell is a prostate cancer cell.
5. A process for identifying an anti-neoplastic agent comprising contacting a cell exhibiting neoplastic activity with a compound first identified
25 as a cancer related gene modulator using the process of claim 1 and detecting a decrease in said neoplastic activity after said contacting compared to when said contacting does not occur.
6. The process of claim 5 wherein said neoplastic activity is
30 accelerated cellular replication.

7. The process of claim 5 wherein said decrease in neoplastic activity results from the death of the cell.

5 8. A process for identifying an anti-neoplastic agent comprising administering to an animal exhibiting a cancer condition an effective amount of an agent first identified according to the process of claim 1 and detecting a decrease in said cancerous condition.

10 9. A process for determining the cancerous status of a cell, comprising determining an increase in the level of expression in said cell of a gene that corresponds to a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1 - 18 wherein an elevated expression relative to a known non-cancerous cell indicates a cancerous state or potentially cancerous state.

15

10. The process of claim 9 wherein said elevated expression is due to an increased copy number.

20 11. An isolated polypeptide comprising an amino acid sequence homologous to an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26 wherein any difference between said amino acid sequence and the sequence of SEQ ID NO: 19 - 26 is due solely to conservative amino acid substitutions and wherein said isolated polypeptide comprises at least one immunogenic fragment.

25

12. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26.

30 13. An antibody that reacts with a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 19 - 26.

14. The antibody of claim 13 wherein said antibody is a recombinant antibody.

5 15. The antibody of claim 13 wherein said antibody is a synthetic antibody.

16. The antibody of claim 13 wherein said antibody is a humanized antibody.

10 17. An immunoconjugate comprising the antibody of claim 13 and a cytotoxic agent.

15 18. The antibody of claim 17 wherein said cytotoxic agent is a member selected from the group consisting of a calicheamicin, a maytansinoid, an adozelesin, a cytotoxic protein, a taxol, a taxotere, a taxoid and DC1.

19. The immunoconjugate of claim 18 wherein said calicheamicin is calicheamicin γ_1^I , N-acetyl gamma calicheamicin dimethyl hydrazide or calicheamicin θ_1^I .

20 20. The immunoconjugate of claim 18 wherein said maytansinoid is DM1.

21. The immunoconjugate of claim 18 wherein said cytotoxic protein is
25 ricin, abrin, gelonin, pseudomonas exotoxin or diphtheria toxin.

22. The immunoconjugate of claim 18 wherein said taxol is paclitaxel.

23. The immunoconjugate of claim 18 wherein said taxotere is
30 docetaxel.

24. A process for treating cancer comprising contacting a cancerous cell *in vivo* with an agent having activity against an expression product encoded by a gene sequence selected from the group consisting of SEQ ID NO: 1 - 18.

5

25. The process of claim 24 wherein said agent is an antibody of claim 13.

26. The process of claim 24 wherein said agent is an immunoconjugate
10 of claim 17.

27. An immunogenic composition comprising a polypeptide of claim 11.

28. An immunogenic composition comprising a polypeptide of claim 12.

15

29. The process of claim 24 wherein said cancer is prostate cancer.

30. A process for treating cancer in an animal afflicted therewith comprising administering to said animal an amount of an immunogenic composition of claim 27 sufficient to elicit the production of cytotoxic T lymphocytes specific for the polypeptide of claim 11.
20

31. A process for treating cancer in an animal afflicted therewith comprising administering to said animal an amount of an immunogenic composition of claim 28 sufficient to elicit the production of cytotoxic T lymphocytes specific for the polypeptide of claim 12.
25

32. A process for treating a cancerous condition in an animal afflicted therewith comprising administering to said animal a therapeutically effective amount of an agent first identified as having anti-neoplastic activity using the process of claim 8.
30

33. A process for protecting an animal against cancer comprising administering to an animal at risk of developing cancer a therapeutically effective amount of an agent first identified as having anti-neoplastic activity using the process of claim 8.

5

34. The process of claim 30 wherein said animal is a human being.

35. The process of claim 30 wherein said cancer is prostate cancer.

10 36. A method for diagnosing prostate cancer in a patient comprising determining the presence of a cancer-related polypeptide in one or more prostate cells of said patient wherein said cancer-related polypeptide comprises a polypeptide that reacts with an antibody specific for a polypeptide having an amino acid sequence selected from SEQ ID NO: 19 – 26.

15

37. The method of claim 36 wherein said cancer-related polypeptide comprises a polypeptide of SEQ ID NO: 19 – 26.

20 38. The method of claim 36 wherein said cancer-related polypeptide is a member selected from the group consisting of SEQ ID NO: 19 – 26.

39. A method for producing test data with respect to the gene modulating activity of a compound comprising:

25 (a) contacting a compound with a cell containing a polynucleotide comprising a nucleotide sequence corresponding to a gene whose expression is increased in a cancerous cell over that in a non-cancerous cell and under conditions wherein said polynucleotide is being expressed,

(b) determining a change in expression of polynucleotides as a result of said contacting, and

30 (c) producing test data with respect to the gene modulating activity of said compound based on a decrease in the expression of the determined

gene whose expression is otherwise increased in a cancerous cell over that in a non-cancerous cell indicating gene modulating activity.

SEQUENCE LISTING

<110> Avalon Pharmaceuticals

<120> Cancer-Linked Gene as Target for Chemotherapy

<130> 689290-166

<140>

<141>

<150> US/60/386,651

<151> 2002-06-06

<160> 26

<170> PatentIn version 3.0

<210> 1

<211> 5271

<212> DNA

<213> Homo sapiens

<400> 1

```

ggacaggcgt ggcggccgga gccccagcat ccctgcttga ggtccaggag cggagcccgc      60
ggccaccgcc gcctgatcag cgcgaccccg gcccgcgccc gccccgcccg gcaagatgct      120
gcccgtgtac caggaggtga agcccaaccc gctgcaggac gcgaacatct gctcacgcgt      180
gttcttctgg tggctcaatc ccttgtttaa aattggccat aaacggagat tagaggaaga      240
tgatatgtat tcagtgtctg cagaagaccg ctcacagcac cttggagagg agttgcaagg      300
gttctgggat aaagaagttt taagagctga gaatgacgca cagaagcctt ctttaacaag      360
agcaatcata aagtgttact ggaaatctta tttagttttg ggaattttta cgtaattga      420
ggaaagtgcc aaagtaatcc agcccatatt tttgggaaaa attattaatt attttgaaaa      480
ttatgatccc atggattctg tggctttgaa cacagcgta cgcctatgcca cgggtgctgac      540
tttttgcacg ctcatTTTTG ctatactgca tcacttatat ttttatcacg ttcagtgtgc      600
tgggatgagg ttacgagtag ccatgtgcca tatgatttat cggaaggcac ttcgtcttag      660
taacatggcc atggggaaga caaccacagg ccagatagtc aatctgctgt ccaatgatgt      720
gaacaagttt gatcagggtga cagtgttctt acacttctct tgggcaggac cactgcaggc      780
gatcgcagtg actgccctac tctggatgga gataggaata tcgtgccttg ctgggatggc      840
agttctaatc attctcctgc ccttgcaaag ctgttttggg aagttgttct catcactgag      900
gagtaaaact gcaactttca cggatgccag gatcaggacc atgaatgaag ttataactgg      960
tataaggata ataaaaatgt acgcctggga aaagtcattt tcaaactcta ttaccaatTT 1020
gagaaagaag gagatttcca agattctgag aagttcctgc ctcaggggga tgaatttggc 1080
ttcgtttttc agtgcaagca aaatcatcgt gtttgtgacc ttcaccacct acgtgctcct 1140
cggcagtggt atcacagcca gccgcgtgtt cgtggcagtg acgctgtatg gggctgtgcg 1200
gctgacgggt accctcttct tccccctcagc cattgagagg gtgtcagagg caatcgtcag 1260
catccgaaga atccagacct ttttgctact tgatgagata tcacagcgca accgtcagct 1320
gccgtcagat ggtaaaaaga tgggtgcatgt gcaggatttt actgcttttt gggataaggc 1380
atcagagacc ccaactctac aaggcctttc ctttactgtc agacctggcg aattgttagc 1440
tgtggtcggg cccgtgggag cagggaagtc atcactgtta agtgccgtgc tcggggaatt 1500
ggccccaagt cacgggctgg tcagcgtgca tggagaatt gcctatgtgt ctcagcagcc 1560
ctgggtgttc tcgggaactc tgaggagtaa tattttattt gggaagaaat atgaaaagga 1620
acgatatgaa aaagtcataa aggcttgtgc tctgaaaaag gatttacagc tgttggagga 1680
tggtgatctg actgtgatag gagatcgggg aaccacgctg agtgaggggc agaaagcacg 1740
ggtaaacctt gcaagagcag tgtatcaaga tgctgacatc tatctcctgg acgatcctct 1800
cagtgcagta gatgcggaag ttagcagaca cttgttcgaa ctgtgtattt gtcaaatttt 1860
gcatgagaag atcacaattt tagtgactca tcagttgcag tacctcaaag ctgcaagtca 1920
gattctgata ttgaaagatg gtaaaatggg gcagaagggg acttacactg agttcctaaa 1980
atctggtata gatTTTggct ccctttttaa gaaggataat gaggaaagtg aacaacctcc 2040

```

agttccagga	actccacac	taaggaatcg	taccttctca	gagtcttcgg	tttggctca	2100
acaatcttct	agaccctcct	tgaagatgg	tgctctggag	agccaagata	cagagaatgt	2160
cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttggttttc	aggcctataa	2220
gaattacttc	agagctgggt	ctcactggat	tgtcttcatt	ttccttattc	tcctaaacac	2280
tgacagctcag	gttgccctatg	tgcttcaaga	ttgggtggctt	tcatactggg	caaacaaaca	2340
aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	tagatcttaa	2400
ctgggtactta	ggaattttatt	cagggtttaac	tgtagctacc	gttctttttg	gcatagcaag	2460
atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	acaaaatggt	2520
tgagtcaatt	ctgaaagctc	cgggtattatt	ctttgataga	aatccaatag	gaagaatttt	2580
aaatcggttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	cgtttttaga	2640
tttcatccag	acattgctac	aagtggttgg	tgtggctctct	gtggctgtgg	ccgtgattcc	2700
ttggatcgca	atacccttgg	ttccccttgg	aatcattttc	atttttcttc	ggcgatattt	2760
tttgaaacg	tcaagagatg	tgaagcgcc	ggaatctaca	actcggagtc	cagtgttttc	2820
ccacttgctca	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaag	cagaagagag	2880
gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttggg	tcttggtttt	2940
gacaacgtcc	cgctggttcg	ccgtccgtct	ggatgccatc	tgtgccatgt	ttgtcatcat	3000
cggtgccctt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	ttggtttggc	3060
actgtcctat	gccctcacgc	tcatggggat	gtttcagtg	tgtgttcgac	aaagtgtgga	3120
agttgagaat	atgatgatct	cagtagaaag	ggctcattgaa	tacacagacc	ttgaaaaaga	3180
agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	ccccatgaag	gagtataat	3240
ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctgggtactga	agcatctgac	3300
agcactcatt	aaatcacaa	aaaaggttgg	cattgtggga	agaaccggag	ctggaaaaag	3360
ttccctcatc	tcagcccttt	ttagattgtc	agaaccgaa	ggtaaaattt	ggattgataa	3420
gatcttgaca	actgaaattg	gacttcacga	tttaaggaag	aaaatgtcaa	tcatacctca	3480
ggaacctgtt	ttgttctactg	gaacaatgag	gaaaaacctg	gatcccttta	atgagcacac	3540
ggatgaggaa	ctgtggaatg	ccttacaaga	ggtacaactt	aaagaaacca	ttgaagatct	3600
tcctggtaaa	atggatactg	aattagcaga	atcaggatcc	aatttttagtg	ttggacaaag	3660
acaactgggtg	tgcccttgcca	gggcaattct	caggaaaaat	cagatattga	ttattgatga	3720
agcgacggca	aatgtggatc	caagaactga	tgagtttaata	caaaaaaaaa	tcggggagaa	3780
atttgcccac	tgaccctgtc	taaccattgc	acacagattg	aacaccatta	ttgacagcga	3840
caagataatg	gttttagatt	caggaagact	gaaagaatat	gatgagccgt	atgttttgct	3900
gcaaaataaa	gagagcctat	tttacaagat	ggtgcaacaa	ctgggcaagg	cagaagccgc	3960
tgccctcact	gaaacagcaa	aacaggtata	cttcaaaaga	aattatccac	atattggtca	4020
cactgaccac	atggttacaa	acacttccaa	tggaacagccc	tcgaccttaa	ctattttcga	4080
gacagcactg	tgaatccaac	caaaatgtca	agtccgttcc	gaaggcattt	tcactagttt	4140
tttgactat	gtaaacacaa	ttgtactttt	ttttactttg	gcaacaaata	tttatacata	4200
caagatgcta	gttcatttga	atatttctcc	caacttatcc	aaggatctcc	agctctaaca	4260
aaatggttta	tttttattta	aatgtcaata	gttgtttttt	aaaatccaaa	tcagaggtgc	4320
aggccaccag	ttaaatgccg	tctatcaggt	tttgtgcctt	aagagactac	agagtcaaag	4380
ctcattttta	aaggagtagg	acaaagttgt	cacaggtttt	tgttgttgtt	tttattgccc	4440
ccaaaattac	atgttaattt	ccatttatat	cagggattct	atttacttga	agactgtgaa	4500
gttgccattt	tgtctcattg	ttttctttga	cataactagg	atccattatt	ttccctgaag	4560
gcttcttggt	agaaaatagt	acagttacaa	ccaataggaa	caacaaaaag	aaaaagtttg	4620
tgacattgta	gtagggagtg	tgtaccctt	actccccatc	aaaaaaaaaa	atggatacat	4680
ggttaaagga	tagaaggga	atattttatc	atatgttcta	aaagagaagg	aagagaaaat	4740
actactttct	caaaatggaa	gcccttaaag	gtgctttgat	actgaaggac	acaaatgtga	4800
ccgtccatcc	tccttttagag	ttgcatgact	tggaacagggt	aactgttgca	gttttagact	4860
cagcattgtg	acacttccca	agaaggccaa	acctctaacc	gacattctcg	aaatacgtgg	4920
cattattctt	ttttggattt	ctcatttatg	gaaggctaac	cctctgttga	ccgtaagcct	4980
tttgggtttg	gctgtattga	aatcctttct	aaattgcatg	aataggctct	gctaacgtga	5040
tgagacaaac	tgaaaattat	tgcaagcatt	gactataatt	atgcagtagc	ttctcaggat	5100
gcataccagg	gttcattttc	atgagcctgt	ccagggttagt	ttactcctga	ccactaatag	5160
cattgtcatt	tggtgctttc	gttgaatgaa	tcaacaaacc	acaatacttc	ctgggacctt	5220
ttgtacttta	tttgaactat	gagtcctgtat	taactgcttg	gggtaccgag	c	5271

<210> 2
 <211> 5284
 <212> DNA

<213> Homo sapiens

<400> 2

ggacaggcgt	ggcggccgga	gccccagcat	ccctgcttga	ggtccaggag	cggagcccgc	60
ggccaccgcc	gcctgatcag	cgcgaccccg	gcccgcgccc	gccccgcccg	gcaagatgct	120
gcccgtgtac	caggaggtga	agcccaaccc	gctgcaggac	gcgaacatct	gctcacgcgt	180
gttcttctgg	tggtcgaatc	ccttggttaa	aattggccat	aaacggagat	tagaggaaga	240
tgatatgtat	tcagtgtctg	cagaagaccg	ctcacagcac	cttgagagag	agttgcaagg	300
gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	ctttaacaag	360
agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	cgtaaattga	420
ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	attttgaaaa	480
ttatgatccc	atggattctg	tggttttgaa	cacagcgtac	gcctatgcc	cggtgctgac	540
tttttgcacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	ttcagtgtgc	600
tggtgatgag	ttacgagtag	ccatgtgcc	tatgatttat	cgggaaggac	ttcgtcttag	660
taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	ccaatgatgt	720
gaacaagttt	gatcagggtga	cagtgttctt	acacttctct	tgggcaggac	cactgcaggc	780
gattcgcatg	actgccctac	tctggatgaa	gataggaata	tcgtgccttg	ctgggatggc	840
agttctaatc	attctcctgc	ccttgcaaa	ctgttttggg	aagttgttct	catcactgag	900
gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	ttataactgg	960
tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaactctta	ttaccaattt	1020
gagaaagaag	gagatttcca	agattctgag	aagttcctgc	ctcaggggga	tgaatttggc	1080
ttcgtttttc	agtgcagca	aaatcatcgt	gtttgtgacc	ttcaccacct	acgtgctcct	1140
cggcagtggt	atcacagcca	gcccgcgtgt	cgtggcagtg	acgctgtatg	gggctgtgcg	1200
gctgacgggt	accctcttct	tcccctcagc	cattgagagg	gtgtcagagg	caatcgtcag	1260
catccgaaga	atccagacct	ttttgctact	tgatgagata	tcacagcgca	accgtcagct	1320
gccgtcagat	ggtaaaaaga	tggtgcatgt	gcaggatttt	actgcttttt	gggataaggc	1380
atcagagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	aattgttagc	1440
tgtggtcggc	cccggtgggag	caggggaagtc	atcactgtta	agtgccgtgc	tcggggaatt	1500
ggccccaagt	cacgggctgg	tcagcgtgca	tggaagaatt	gcctatgtgt	ctcagcagcc	1560
ctgggtgttc	tcgggaactc	tgaggagtaa	tattttatatt	gggaagaaat	atgaaaagga	1620
acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	tggtggagga	1680
tggtgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtggagggc	agaaagcacg	1740
ggtaaacctt	gcaagagcag	tgtatcaaga	tgctgacatc	tatctcctgg	acgatcctct	1800
cagtgcagta	gatgcggaag	ttagcagaca	cttgttcgaa	ctgtgtattt	gtcaaatttt	1860
gcatgagaag	atcacaattt	tagtgactca	tcagttgcag	tacctcaaag	ctgcaagtca	1920
gattctgata	ttgaaagatg	gtaaaatggg	gcagaagggg	acttacactg	agttcctaaa	1980
atctggtata	gattttggct	ccctttttaa	gaaggataat	gaggaaagtg	aacaacctcc	2040
agttccagga	actcccacac	taaggaatcg	taccttctca	gagtcttcgg	tttggctctca	2100
acaatcttct	agacctcctt	tgaaagatgg	tgctctggag	agccaagata	cagagaatgt	2160
cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttgggtttc	aggcctataa	2220
gaattacttc	agagctgggt	ctcactggat	tgtcttcatt	ttccttattc	tcctaaacac	2280
tgcagctcag	gttgccctatg	tgcttcaaga	ttgggtggctt	tcatactggg	caaacaaaca	2340
aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	tagatcttaa	2400
ctggtactta	ggaatttatt	cagggttaac	tgtagctacc	gttctttttg	gcatagcaag	2460
atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	acaaaatgtt	2520
tgagtcaatt	ctgaaagctc	cgggtattatt	ctttgataga	aatccaatag	gaagaatttt	2580
aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	cgttttttaga	2640
tttcatccag	acattgctac	aagtgggttg	gtgggtctct	gtggctgtgg	ccgtgattcc	2700
ttggatcgca	atacccttgg	ttccccttgg	aatcattttc	attttcttct	ggcgatattt	2760
tttggaaacg	tcaagagatg	tgaagcgctt	ggaatctaca	actcggagtc	cagtgttttc	2820
ccacttgtca	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaag	cagaagagag	2880
gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttggg	tcttgttttt	2940
gacaacgtcc	cgctgggttc	ccgtccgtct	ggatgccatc	tgtgccatgt	ttgtcatcat	3000
cgttgccttt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	ttggtttggc	3060
actgtcctat	gccctcacgc	tcattgggat	gtttcagtgg	tgtgttcgac	aaagtgtctga	3120
agttgagaat	atgatgatct	cagtagaaaag	ggtcattgaa	tacacagacc	ttgaaaaaga	3180
agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	ccccatgaag	gagtgataat	3240
ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctgggtactga	agcatctgac	3300
agcactcatt	aaatcacaag	aaaagggttg	cattgtggga	agaaccggag	ctggaaaaag	3360

ttccctcatc	tcagcccttt	ttagattgtc	agaacccgaa	ggtaaaat	ggattgataa	3420
gatcttgaca	actgaaattg	gacttcacga	tttaagggaag	aaaatgtcaa	tcatacctca	3480
ggaacctgtt	ttgttcaactg	gaacaatgag	gaaaaaacctg	gatcccttta	atgagcacac	3540
ggatgaggaa	ctgtggaatg	ccttacaaga	ggtacaactt	aaagaaacca	ttgaagatct	3600
tcctggtaaa	atggatactg	aattagcaga	atcaggatcc	aatttttagtg	ttggacaaag	3660
acaactgggtg	tgccttgcca	gggcaattct	caggaaaaat	cagatattga	ttattgatga	3720
agcgacggca	aatgtggatc	caagaactga	tgagttaata	caaaaaaaaa	tccgggagaa	3780
atttgcccac	tgcaccgtgc	taaccattgc	acacagattg	aacaccatta	ttgacagcga	3840
caagataatg	gttttagatt	caggaagact	gaaagaatat	gatgagccgt	atgttttgct	3900
gcaaaataaa	gagagcctat	tttacaagat	ggtgcaacaa	ctgggcaagg	cagaagccgc	3960
tgcctcact	gaaacagcaa	aacaggtata	cttcaaaaaga	aattatccac	atattggtca	4020
cactgaccac	atggttacaa	acacttccaa	tggacagccc	tcgaccttaa	ctattttcga	4080
gacagcactg	tgaatccaac	caaatgtca	agtcggttcc	gaaggcattt	tccactagtt	4140
tttgactat	gtaaaccaca	ttgtactttt	ttttactttg	gcaacaaata	tttatacata	4200
caagatgcta	gttcatttga	atatttctcc	caacttatcc	aaggatctcc	agctctaaca	4260
aaatggttta	tttttattta	aatgtcaata	gttgtttttt	aaaatccaaa	tcagaggtgc	4320
aggccaccag	ttaaatgccg	tctatcaggt	tttgtgcctt	aagagactac	agagtcaaaag	4380
ctcattttta	aaggagtagg	acaaagtgtg	cacaggtttt	tgttgttgtt	tttattgccc	4440
ccaaaattac	atgttaattt	ccatttatat	cagggtattct	atttacttga	agactgtgaa	4500
gttgccattt	tgtctcattg	ttttctttga	cataactagg	atccattatt	tcccctgaag	4560
gcttcttgtt	agaaaatagt	acagttacaa	ccaataggaa	caacaaaaag	aaaaagtttg	4620
tgacattgta	gtagggagtg	tgtaccctt	actccccatc	aaaaaaaaaa	atggatacat	4680
ggttaaagga	tagaagggca	atattttatc	atatgttcta	aaagagaagg	aagagaaaat	4740
actactttct	caaaatggaa	gcccttaaaag	gtgctttgat	actgaaggac	acaaatgtga	4800
ccgtccatcc	tccttttagag	ttgcatgact	tggacacggt	aactgttgca	gttttagact	4860
cagcattgtg	acacttccca	agaaggccaa	acctctaacc	gacattcctg	aaatacgtgg	4920
cattattctt	ttttggattt	ctcatttatg	gaaggctaac	cctctgttga	ccgtaagcct	4980
tttggttttg	gctgtattga	aatcctttct	aaattgcatg	aataggctct	tggcttaaac	5040
ccggttgaat	gagacaaact	gagacaactt	taaatttggc	ccaaaggcca	aactttgtcg	5100
ggaacgccct	ttttccgtgc	acaacaccga	cgacccccac	ccttttctac	aaacccaaac	5160
aacgtgtaca	acctttcggg	ccccaacgca	cagccctccc	caccgcgccg	cccacgaccg	5220
cactaacgcc	ccggccactt	ctacaactcc	cctctcccc	acaaggggcg	gacaacttgg	5280
ggca						5284

<210> 3
 <211> 3521
 <212> DNA
 <213> Homo sapiens

<400> 3						
ggacaggcgt	ggcggccgga	gccccagcat	ccttgccttga	ggtccaggag	cggagcccgc	60
ggccaccgcc	gcctgatcag	cgcgaccccg	gcccgcgccc	gccccgcccg	gcaagatgct	120
gcccgtgtac	caggagggtga	agcccaaccc	gctgcaggac	gcgaacatct	gctcacgcgt	180
gttcttcttg	tggctcaatc	ccttgtttta	aattggccat	aaacggagat	tagaggaaaga	240
tgatatgtat	tcagtgtctgc	cagaagaccg	ctcacagcac	cttggagagg	agttgcaagg	300
gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	ctttaacaag	360
agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	cgtaatttga	420
ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	attttgaaaa	480
ttatgatccc	atggattctg	tggctttgaa	cacagcgtac	gcctatgcc	cgggtgctgac	540
tttttgcacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	ttcagtgtgc	600
tgggatgagg	ttacgagtag	ccatgtgcc	tatgatttat	cgggaaggcac	ttcgtcttag	660
taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	ccaatgatgt	720
gaacaagttt	gatcagggtga	cagtgttctt	acacttctctg	tgggcaggac	cactgcaggc	780
gatcgacgtg	actgccctac	tctggatgga	gataggaata	tcgtgccttg	ctgggatggc	840
agttctaatc	attctcctgc	ccttgcaaaag	ctgttttggg	aagttgttct	catcactgag	900
gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	ttataactgg	960
tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaatctta	ttaccaattt	1020
gagaaagaag	gagatttcca	agattctgag	aagttcctgc	ctcaggggga	tgaatttggc	1080

ttcgtttttc	agtgaagca	aaatcatcgt	gtttgtgacc	ttcaccacct	acgtgctcct	1140
cggcagtgtg	atcacagcca	gccgcgtgtt	cgtggcagtg	acgctgtatg	gggctgtgcg	1200
gctgacggtt	accctcttct	tcccctcagc	cattgagagg	gtgtcagagg	caatcgtcag	1260
catccgaaga	atccagacct	ttttgctact	tgatgagata	tcacagcgca	accgtcagct	1320
gccgtcagat	ggtaaaaaga	tgggtcatgt	gcaggatttt	actgcttttt	gggataaggc	1380
atcagagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	aattgttagc	1440
tgtggtcggc	cccgtgggag	caggggaagtc	atcactgtta	agtgccgtgc	tcggggaatt	1500
ggccccaagt	cacgggctgg	tcagcgtgca	tggagaatt	gcctatgtgt	ctcagcagcc	1560
ctgggtgttc	tcgggaactc	tgaggagtaa	tattttat	gggaagaaat	atgaaaagga	1620
acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	tgttggaggga	1680
tggatgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtggagggc	agaaagcacg	1740
ggtaaacctt	gcaagagcag	tgtatcaaga	tgttgacatc	tatctcctgg	acgatcctct	1800
cagtgcagta	gatgcggaag	ttagcagaca	cttggtcgaa	ctgtgtattt	gtcaaatttt	1860
gcatgagaag	atcacaattt	tagtgactca	tcagttgcag	tacctcaaag	ctgcaagtca	1920
gattctgata	ttgaaagatg	gtaaaatggg	gcagaagggg	acttacctg	agttccctaaa	1980
atctggtata	gattttggct	cccttttaaa	gaaggataat	gaggaaagtg	aacaacctcc	2040
agttccagga	actccacac	taagggaatcg	taccttctca	gagtcttcgg	tttgggtctca	2100
acaatcttct	agacctctct	tgaaagatgg	tgtctggag	agccaagata	cagagaatgt	2160
cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttgggtttc	aggcctataa	2220
gaattacttc	agagctgggtg	ctcactggat	tgtcttcatt	ttccttattc	tcctaaacac	2280
tgcagctcag	gttgccctatg	tgttcaaga	ttgggtggctt	tcatactggg	caaacaaaca	2340
aagtatgcta	aatgtcactg	taaattggagg	aggaaatgta	accgagaagc	tagatcttaa	2400
ctggtactta	ggaatttatt	caggtttaac	tgtagctacc	gttctttttg	gcatagcaag	2460
atctctattg	gtattctacg	tccttggttaa	ctcttcacaa	actttgcaca	acaaaatggt	2520
tgagtcaatt	ctgaaagctc	cgggtattatt	ctttgataga	aatccaatag	gaagaatttt	2580
aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	cgtttttaga	2640
tttcatccag	acattgctac	aagtggttgg	tgtggtctct	gtggctgtgg	ccgtgattcc	2700
ttggatcgca	atacccttgg	ttccccttgg	aatcattttc	atttttcttc	ggcgatatatt	2760
tttgaaaacg	tcaagagatg	tgaagcgctc	ggaatctaca	actcggagtc	cagtgttttc	2820
ccacttgta	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaaag	cagaagagag	2880
gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	ggctgtgcta	tttctggaaa	2940
tggtttcaaa	ggacaggatc	tgtgtctttt	tctggcttaa	cctccctggg	cagatgagct	3000
tgttggcagg	cacctcaggg	cccagcccca	cactctgctt	tttttgcgca	tcttcgtctc	3060
cttccccatc	cccttcttct	gggcttggac	tcctctcgga	atcgctgctg	cacgttccct	3120
ctttgtgccc	cctgactggc	ttgtggggtc	tttctctcac	catgcatggc	ctgtggctct	3180
gtcagcaaac	gttttctgca	aaaggccacc	tagtaagtgt	tttaggcatt	gtgtgccatt	3240
attgtctctg	ttgtgattaa	tcacctttgc	cattgtagca	caaaagcaga	tgtcaataca	3300
ttggcaaatg	gctgtgacta	tgtttcaata	aaactttatt	tacaaaaata	ggtgctggct	3360
cacgtgctgt	agtttgctga	ccccttgcat	cagtgaagat	tttttcaata	tggaaatttc	3420
agaatttcca	ccaaatctac	aaaattcaga	tccgtcattc	caatctttat	tttatcttgc	3480
tgattaaatg	gcacttttaa	aaccacatgc	taaaaggaaa	a		3521

<210> 4

<211> 3284

<212> DNA

<213> Homo sapiens

<400> 4

caagcagggc	atgagttcac	caccccagta	acaacagtgc	attacaatac	ttaataatgg	60
aacaaggaga	gtagtatttt	agtctcaaaa	gcattggcac	ttacaacctt	ttgctttgtt	120
tttagtggtt	tccagctgtg	gttgcatgtc	acgtagaaag	tggaaataatg	taatgggctt	180
tgaaccata	ataatgaatg	tctgaataat	gacattattt	cttgcgtttg	taatactgtt	240
aattaaatct	atgtgatcc	tgttgggaat	cataaaatca	tctaaaaatt	tttctaaata	300
tacagtgttg	ttttcccat	tgtatcttga	tctcaagcaa	caaattggtaa	aagtatagct	360
attaatgtca	ttaaattgtga	attgtttcaa	cattatgaag	ggttccctctt	ggtaagtggc	420
agaaggagcc	aggcttaggt	ttgaagtgag	actgacttta	ttcccttctt	cctccttacg	480
tagctctgga	tgcggggcag	gttggtttgg	cactgtccta	tgccctcacg	ctcatgggga	540
tgtttcagtg	gtgtgttcga	caaagtgtcg	aagttgagaa	tatgatgatc	tcagtagaaa	600

gggtcattga	atacacagac	cttgaaaaag	aagcaccttg	ggaatatcag	aaacgcccac	660
caccagcctg	gccccatgaa	ggagtataaa	tctttgacaa	tgtgaacttc	atgtacagtc	720
caggtgggccc	tctgggtactg	aagcatctga	cagcactcat	taaatcacaa	gaaaagggtg	780
gcattgtggg	aagaaccgga	gctggaaaaa	gttccctcat	ctcagccctt	tttagattgt	840
cagaacccga	aggtaaaatt	tggattgata	agatcttgac	aactgaaatt	ggacttcacg	900
atttaaggaa	gaaaatgtca	atcatacctc	aggaacctgt	tttgttcact	ggaacaatga	960
ggaaaaacct	ggatcccttt	aatgagcaca	cggatgagga	actgtggaat	gccttacaag	1020
aggtacaact	taaaagaacc	attgaagatc	ttcctggtaa	aatggatact	gaattagcag	1080
aatcaggatc	caatttttagt	gttggacaaa	gacaactggt	gtgccttgcc	agggcaattc	1140
tcaggaaaaa	tcagatattg	attattgatg	aagcgacggc	aatgtggat	ccaagaactg	1200
atgagttaat	acaaaaaaa	atccggggaga	aatttgccca	ctgcaccgtg	ctaaccattg	1260
cacacagatt	gaacaccatt	attgacagcg	acaagataat	ggttttagat	tcagggaagac	1320
tgaagaata	tgatgagccg	tatgttttgc	tgcaaaataa	agagagccta	ttttacaaga	1380
tgggtcaaca	actgggcaag	gcagaagccg	ctgcctcac	tgaacacgca	aaacaggtat	1440
acttcaaaa	aaattatcca	catattggtc	acactgacca	catggttaca	aacacttcca	1500
atggacagcc	ctcgacctta	actattttcg	agacagcact	gtgaatccaa	ccaaaatgtc	1560
aagtcggctc	cgaaggcatt	ttccactagt	ttttggacta	tgtaaaccac	attgtacttt	1620
tttttacttt	ggcaacaaat	atttatacat	acaagatgct	agttcatttg	aatattttctc	1680
ccaacttatc	caaggatctc	cagctctaac	aaaatggttt	atttttattt	aaatgtcaat	1740
agttgttttt	taaaatccaa	atcagaggtg	caggccacca	gttaaattgcc	gtctatcagg	1800
ttttgtgcct	taagagacta	cagagtcaaa	gtcatttttt	aaaggagtag	gacaaaagttg	1860
tcacagggtt	ttgttggtgt	ttttattgcc	cccaaaatta	catgttaatt	tccattttata	1920
tcagggtatc	tatttacttg	aagactgtga	agttgccatt	ttgtctcatt	gttttctttg	1980
acataactag	gatccattat	ttcccctgaa	ggcttcttgt	tagaaaatag	tacagttaca	2040
accaatagga	acaacaaaaa	gaaaaagttt	gtgacattgt	agtagggagt	gtgtaccctt	2100
tactccccat	caaaaaaaa	aatggatata	tggttaaagg	atagaagggc	aatattttat	2160
catatgttct	aaaagagaag	gaagagaaaa	tactactttc	tcaaaatgga	agcccttaaa	2220
ggtgctttga	tactgaagga	cacaaatgtg	accgtccatc	ctcctttaga	gttgcatgac	2280
ttggacacgg	taactgttgc	agtttttagac	tcagcattgt	gacacttccc	aagaaggcca	2340
aacctctaac	cgacattcct	gaaatacgtg	gcattattct	tttttggtt	tctcatttat	2400
ggaaggctaa	ccctctgttg	accgtaagcc	ttttggtttg	ggctgtattg	aaatcctttc	2460
taaattgcac	gaataggctc	tgctaacgtg	atgagacaaa	ctgaaaatta	ttgcaagcat	2520
tgactataat	tatgcagtac	gttctcagga	tgcatccagg	ggttcatttt	catgagcctg	2580
tccagggttag	tttactcctg	accactaata	gcattgtcat	ttgggctttc	tgttgaatga	2640
atcaacaaac	cacaatactt	cctgggacct	tttgtacttt	atttgaacta	tgagtcttta	2700
atttttcctg	atgatggtgg	ctgtaatatg	ttgagttcag	tttactaaag	gttttactat	2760
tatggtttga	agtggagtct	catgacctct	cagaataagg	tgtcacctcc	ctgaaattgc	2820
atatatgtat	atagacatgc	acacgtgtgc	atttgtttgt	atacatatat	ttgtccttcg	2880
tatagcaagt	tttttgctca	tcagcagaga	gcaacagatg	ttttattgag	tgaagcctta	2940
aaaagcacac	accacacaca	gctaactgcc	aaaatacatt	gaccgtagta	gctgttcaac	3000
tcctagtact	tagaaatata	cgtatggtta	atgttcagtc	caacaaacca	cacacagtaa	3060
atgtttatta	atagtcattg	ttcgtatttt	aggtgactga	aattgcaaca	gtgatcataa	3120
tgaggtttgt	taaaacgata	gctatattca	aaatgtctat	atgtttattt	ggacttttga	3180
ggttaaagac	agtcataata	acgtcctgtt	tctgttttaa	tgttatcata	gaatttttta	3240
atgaaactaa	attcaattga	aataaatgat	agttttcatc	tcca		3284

<210> 5

<211> 1019

<212> DNA

<213> Homo sapiens

<400> 5

ggacaggcgt	ggcggccgga	gccccagcat	ccctgcttga	ggtccaggag	cggagcccgc	60
ggccaccgcc	gcctgatcag	cgcgaccccg	gcccgcgccc	gccccgcccg	gcaagatgct	120
gcccgtgtac	caggaggtga	agcccaaccc	gctgcaggac	gcgaacatct	gctcacgcgt	180
gttcttctgg	tggctcaatc	ccttggttaa	aattggccat	aaacggagat	tagaggaaga	240
tgatatgtat	tcagtgtgc	cagaagaccg	ctcacagcac	cttgagagg	agttgcaagg	300
gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	ctttaacaag	360

agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	cgtttaattga	420
ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	attttgaaaa	480
ttatgatccc	atggattctg	tggctttgaa	cacagcgtac	gcctatgcca	cggtgctgac	540
tttttgcacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	ttcagtgtgc	600
tgggatgagg	ttacgagtag	ccatgtgcca	tatgatattat	cggaaggcac	ttcgtcttag	660
taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	ccaatgatgt	720
gaacaagttt	gatcaggtga	cagtgttctt	acacttcctg	tgggcaggac	cactgcaggc	780
gatcgcagtg	actgccctac	tctggatgga	gataggaata	tcgtgccttg	ctgggatggc	840
agttctaatc	attctcctgc	ccttgcaaag	ctgttttggg	aagttgttct	catcactgag	900
gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	ttataactgg	960
tataaggata	ataaaaatgt	acgcctgtgg	taagacgrga	tcctyrnagt	cactcgcag	1019

<210> 6

<211> 3200

<212> DNA

<213> Homo sapiens

<400> 6

ggcagggtcc	cctcaggcta	ttgggaacat	ttatttttcc	ttgaaacatg	aagcctccta	60
ggaggcctgc	gtgtgctgtt	tgggtggatac	gtgaccatgg	agcttgggag	gccgcagggt	120
tttctgcacc	cagcctcact	gagctgtttt	ctctgtctgt	ttccccagct	cgaggtccag	180
tgtttttccca	cttgtcatct	tctctccagg	ggctctggac	catccgggca	tacaaagcag	240
aagagaggtg	tcaggaactg	tttgatgcac	accaggattt	acattcagag	gcttgggttct	300
tgtttttgac	aacgtcccgc	tggttcgcgc	tcctgtctga	tgccatctgt	gccatgtttg	360
tcacatcctg	tgcccttggg	tccctgattc	tggcaaaaac	tctggatgcc	gggcagggtg	420
gttttggcact	gtcctatgcc	ctcacgctca	tggggatggt	tcagtgggtg	gttcgacaaa	480
gtgctgaagt	tgagaatatg	atgatctcag	tagaaagggg	cattgaatac	acagaccttg	540
aaaaagaagc	accttgggaa	tatcagaaac	gccaccacc	agcctggccc	catgaaggag	600
tgataatctt	tgacaatgtg	aacttcattg	acagtccagg	tgggcctctg	gtactgaagc	660
atctgcacagc	actcattaaa	tcacaagaaa	agggttggcat	tgtgggaaga	accggagctg	720
gaaaaagttc	cctcatctca	gcccttttta	gattgtcaga	acccgaagg	aaaatttggg	780
ttgataagat	cttgacaact	gaaattggac	ttcacgattt	aaggaagaaa	atgtcaatca	840
tacctcagga	acctgttttg	ttcactggaa	caatgaggaa	aaacctggat	ccctttaatg	900
agcacacgga	tgaggaactg	tggaatgcct	tacaagaggt	acaacttaaa	gaaaccattg	960
aagatcttcc	tggtaaaatg	gatactgaat	tagcagaatc	aggatccaat	tttagtggtg	1020
gacaaagaca	actggtgtgc	cttgccaggg	caattctcag	gaaaaatcag	atattgatta	1080
ttgatgaagc	gacggcaaat	gtggatccaa	gaactgatga	gttaatacaa	aaaaaaatcc	1140
gggagaaatt	tgccacttgc	accgtgctaa	ccattgcaca	cagattgaac	accattattg	1200
acagcgacaa	gataatggtt	ttagattcag	gaagactgaa	agaatatgat	gagccgtatg	1260
ttttgctgca	aaataaagag	agcctatatt	acaagatggg	gcaacaactg	ggcaaggcag	1320
aagccgctgc	cctcactgaa	acagcaaaaac	aggatatact	caaaaagaaat	tatccacata	1380
ttggtcacac	tgaccacatg	gttacaacaa	cttccaatgg	acagccctcg	accttaacta	1440
ttttcgagac	agcactgtga	atccaaccaa	aatgtcaagt	ccgttccgaa	ggcattttcc	1500
actagttttt	ggactatgta	aaccacattg	tacttttttt	tactttggca	acaaatattt	1560
atacatataa	gatgctagtt	catttgaata	tttctcccaa	cttatccaag	gatctccagc	1620
tctaacaaaa	tggtttattt	ttattttaat	gtcaatagtt	gttttttaaa	atccaaatca	1680
gaggtgcagg	ccaccagtta	aatgccgtct	atcaggtttt	gtgccttaag	agactacaga	1740
gtcaaagctc	atttttaaag	gagtaggaca	aagttgtcac	aggtttttgt	tgttgttttt	1800
attgccccca	aaattacatg	ttaatttcca	tttatatcag	ggattctatt	tacttgaaga	1860
ctgtgaagtt	gccattttgt	ctcattgttt	tctttgacat	aactaggatc	cattattttcc	1920
cctgaaggct	tcttggttaga	aaatagtaca	gttacaacca	ataggaacaa	caaaaagaaa	1980
aagtttgtga	cattgtagta	gggagtgtgt	accccttact	ccccatcaaa	aaaaaaaatg	2040
gatacatggg	taaaggatag	aagggaata	ttttatcata	tgttctaaaa	gagaagggaag	2100
agaaaatact	actttctcaa	aatggaagcc	cttaaagggtg	ctttgatact	gaaggacaca	2160
aatgtgaccg	tccatcctcc	tttagagttg	catgacttgg	acacggtaac	tgttgcagtt	2220
ttagactcag	cattgtgaca	cttcccaaga	aggccaaacc	tctaaccgac	attcctgaaa	2280
tacgtggcat	tattcttttt	tggattttct	atttatggaa	ggctaaccct	ctgttgaccg	2340
taagcctttt	ggtttgggct	gtattgaaat	ccttttctaaa	ttgcatgaat	aggctctgct	2400

aacgtgatga	gacaaactga	aaattattgc	aagcattgac	tataattatg	cagtacgttc	2460
tcaggatgca	tccaggggtt	cattttcatg	agcctgtcca	ggtagttta	ctcctgacca	2520
ctaatacat	tgatcatttg	gctttctgtt	gaatgaatca	acaaaccaca	atacttcctg	2580
ggaccttttg	tactttatgt	gaactatgag	tctttaattt	ttcctgatga	tggtggctgt	2640
aatatgttga	gttcagttta	ctaaagggtt	tactattatg	gtttgaagt	gagtctcatg	2700
acctctcaga	ataagggtgc	acctccctga	aattgcatat	atgtatatag	acatgcacac	2760
gtgtgcattt	gtttgtatac	atatatttgt	ccttcgtata	gcaagttttt	tgctcatcag	2820
cagagagcaa	cagatgtttt	attgagtga	gccttaaaaa	gcacacacca	cacacagcta	2880
actgccaaaa	tacattgacc	gtagtagctg	ttcaactcct	agtacttaga	aatacacgta	2940
tggttaaatgt	tcagtccaac	aaaccacaca	cagtaaatgt	ttattaatat	tcattggttcg	3000
tatttttaggt	gactgaaatt	gcaacagtga	tcataatgag	gtttgtttaa	acgatagcta	3060
tattcaaaat	gtctatatgt	ttatttggac	ttttgaggtt	aaagacagtc	atataaacgt	3120
cctgtttctg	ttttaatgtt	atcatagaat	tttttaatga	aactaaattc	aattgaaata	3180
aatgatagtt	ttcatctcca					3200

<210> 7
 <211> 633
 <212> DNA
 <213> Homo sapiens

<400> 7	
actcaatgtc	60
agagagcttc	120
tagcattcct	180
taactgcttg	240
cctctaaccg	300
aaggctaacc	360
aattgcatga	420
actataatta	480
caggttagtt	540
caacaaacca	600
aactgcttgg	633

<210> 8
 <211> 377
 <212> DNA
 <213> Homo sapiens

<400> 8	
tttgctgcta	60
tgtatttaac	120
tggttttcaa	180
taggtgtatt	240
gtacctcaaa	300
tcccgaactt	360
cctttcttct	377

<210> 9
 <211> 2602
 <212> DNA
 <213> Homo sapiens

<400> 9	
cctccacctc	60
aggcgcaccc	120
tggttgccag	180

aagtgtctggg	attacaggca	tgagccacca	cacccagcct	ggtcacatgt	ttaatatcag	240
cttgtcttat	gaacctgttt	tgttcactgg	aacaatgagg	aaaaacctgg	atccctttaa	300
tgagcacacg	gatgaggaac	tgtggaatgc	cttacaagag	gtacaactta	aagaaaccat	360
tgaagatctt	cctggtaaaa	tggatactga	attagcagaa	tcaggatcca	attttagtgt	420
tggacaaaga	caactgggtg	gccttgccag	ggcaattctc	aggaaaaatc	agatattgat	480
tattgatgaa	gcgacggcaa	atgtggatcc	aagaactgat	gagttaatac	aaaaaaaaat	540
ccgggagaaa	tttgcccact	gcaccgtgct	aaccattgca	cacagattga	acaccattat	600
tgacagcgac	aagataatgg	ttttagattc	aggaagactg	aaagaatatg	atgagccgta	660
tgttttgctg	caaaataaaag	agagcctatt	ttacaagatg	gtgcaacaac	tgggcaaggc	720
agaagccgct	gccctcactg	aaacagcaaa	acaggtatac	ttcaaaaaga	attatccaca	780
tattggtcac	actgaccaca	tggttacaaa	cacttccaat	ggacagccct	cgaccttaac	840
tattttcgag	acagcactgt	gaatccaacc	aaaatgtcaa	gtccgttccg	aaggcatttt	900
ccactagttt	ttggactatg	taaaccacat	tgtacttttt	tttactttgg	caacaaatat	960
ttatacatat	aagatgctag	ttcatttgaa	tattttctcc	aacttatcca	aggatctcca	1020
gctctaacaa	aatggtttat	ttttatttaa	atgtcaatag	ttgtttttta	aaatccaaat	1080
cagaggtgca	ggccaccagt	taaatgccgt	ctatcagggt	ttgtgcctta	agagactaca	1140
gagtcaaagc	tcattttttta	aggagtagga	caaagttgtc	acagggtttt	gttgttgttt	1200
ttattgcccc	caaaattaca	tgtaattttc	catttatatc	agggattcta	tttacttgaa	1260
gactgtgaag	ttgccatttt	gtctcattgt	tttctttgac	ataactagga	tccattattt	1320
cccctgaagg	cttcttggtt	gaaaatagta	cagttacaac	caataggaac	aacaaaaaga	1380
aaaagtttgt	gacattgtag	tagggagtgt	gtacccctta	ctccccatca	aaaaaaaaaa	1440
tggatacatg	gttaaaggat	agaagggcaa	tattttatca	tatgttctaa	aagagaagga	1500
agagaaaata	ctactttctc	aaaatggaag	cccttaaagg	tgctttgata	ctgaaggaca	1560
caaatgtgac	cgtccatcct	ccttttagagt	tgcatgactt	ggacacggta	actgttgcag	1620
ttttagactc	agcatttgtga	cacttcccaa	gaaggccaaa	cctctaaccg	acattcctga	1680
aatacgtggc	attattcttt	tttgattttc	tcatttatgg	aaggctaacc	ctctgttgac	1740
cgtaagcctt	ttggtttggg	ctgtattgaa	atcctttcta	aattgcatga	ataggctctg	1800
ctaacgtgat	gagacaaact	gaaaattatt	gcaagcattg	actataatta	tgacgtacgt	1860
tctcaggatg	catccagggg	ttcattttca	tgagcctgtc	caggttagtt	tactcctgac	1920
cactaatagc	attgtcattt	gggctttctg	ttgaatgaat	caacaaacca	caatacttcc	1980
tgggaccttt	tgtactttat	ttgaactatg	agtctttaat	ttttcctgat	gatggtggct	2040
gtaatatgtt	gagttcagtt	tactaaaggt	tttactatta	tggtttgaag	tggaagtctca	2100
tgacctctca	gaataagggt	tcacctccct	gaaattgcat	atatgtatat	agacatgcac	2160
acgtgtgcat	ttgtttgtat	acatatattt	gtccttcgta	tagcaagttt	tttgctcatc	2220
agcagagagc	aacagatggt	ttattgagtg	aagccttaaa	aagcacacac	cacacacagc	2280
taactgccaa	aatacattga	ccgtagtagc	tgttcaactc	ctagtactta	gaaatacacg	2340
tatggttaat	gttcagtcga	acaaaccaca	cacagtaaat	gtttattaat	agtcattggt	2400
cgtatttttag	gtgactgaaa	ttgcaacagt	gatcataatg	aggtttggtt	aaacgatagc	2460
tatattcaaa	atgtctatat	gtttattttg	acttttgagg	ttaaagacag	tcatataaac	2520
gtcctgtttc	tgttttaatg	ttatcataga	attttttaat	gaaactaaat	tcaattgaaa	2580
taaagtatag	ttttcatctc	ca				2602

<210> 10

<211> 636

<212> DNA

<213> Homo sapiens

<400> 10

atggataagt	ttatactagt	gttggcacat	ggcggcatgt	atagatatay	yaggassacc	60
takttgtatt	ccttgtatgr	aaaagcgtcc	ctgggtactac	aataagtctt	tcgwgaagg	120
agtgtaatcc	taacaacaac	tcakgmaagt	attttgaaaa	gaatacttgg	ataaggaaaa	180
acctgcakct	actcctgcta	tttcaagaca	ttgctacaag	tggttggtgt	ggtctctgtg	240
gctgtggccg	tgatctcctg	gatcgcaata	cccttggttc	cccttggaat	cattttcatt	300
tttcttcggc	gatatttttt	ggaaacgtca	agagatgtga	agcgcctgga	atctacaagt	360
gagtatggaa	actcgggttg	gtatagacat	gctagctagt	ttccatttat	gccataaatt	420
acagagaccc	cctgaaattc	ggcagactct	gtcttccaga	atctctctaa	cattaggtaa	480
ttgaacgtat	tggtccattat	gaatcattgt	gtcccttaga	gcatgtggaa	ttgatagcct	540
gcaacgtgta	actttgcatt	tggaataagg	aaggagtga	ggccatatgg	ggagtaatat	600

tctacaggaa tgtcagcact gtgaagacag ggactc

636

<210> 11
 <211> 2420
 <212> DNA
 <213> Homo sapiens

<400> 11
 aagatcttat caatccaaat tttaccttcg gggtctgacg atttaaggaa gaaaatgtca 60
 atcataccga acctgttttg ttcactggaa caatgaggaa aaacctgga ccccttaatg 120
 agcacacgga tgaggaaactg tggaaatgcct tacaagaggt acaacttaaa gaaaccattg 180
 aagatcttcc tggtaaaatg gatactgaat tagcagaatc aggatccaat tttagtgttg 240
 gacaaagaca actggtgtgc cttgccaggg caattctcag gaaaaatcag atattgatta 300
 ttgatgaagc gacggcaaat gtggatccaa gaactgatga gttaatacaa aaaaaaatcc 360
 gggagaaatt tgcccactgc accgtgctaa ccattgcaca cagattgaac accattattg 420
 acagcgacaa gataatggtt ttagattcag gaagactgaa agaatatgat gagccgtatg 480
 ttttgctgca aaataaagag agcctatttt acaagatggt gcaacaactg ggcaaggcag 540
 aagccgctgc cctcactgaa acagcaaaac aggtatactt caaaagaaat tatccacata 600
 ttggtcacac tgaccacatg gttacaaaca cttccaatgg acagccctcg accttaacta 660
 ttttcgagac agcactgtga atccaaccaa aatgtcaagt ccgttccgaa ggcattttcc 720
 actagttttt ggactatgta aaccacattg tacttttttt tactttggca acaaatattt 780
 atacatacaa gatgctagt ttttgaata tttctcccaa cttatccaag gatctccagc 840
 tctaacaaaa tggtttat tttttaaat gtcaatagtt gttttttaaa atccaaatca 900
 gaggtgcagg ccaccagtta aatgccgtct atcaggtttt gtgccttaag agactacaga 960
 gtcaaagctc atttttaaag gagtaggaca aagttgtcac aggtttttgt tgttgttttt 1020
 attgccccca aaattacatg ttaatttcca tttatatcag ggattctatt tacttgaaga 1080
 ctgtgaagtt gccattttgt ctcatgtttt tctttgacat aactaggatc cattatttcc 1140
 cctgaaggct tcttgtaga aaatagtaca gttacaacca ataggaacaa caaaaagaaa 1200
 aagtttgtga cattgtagta gggagtgtgt accccttact ccccatcaaa aaaaaaatg 1260
 gatacatggt taaaggatag aagggaata ttttatcata tgttctaaaa gagaaggaag 1320
 agaaaatact actttctcaa aatggaagcc cttaaagggtg ctttgatact gaaggacaca 1380
 aatgtgaccg tccatcctcc tttagagttg catgacttgg acacggtaac tgttgcagtt 1440
 ttagactcag cattgtgaca cttcccaaga aggccaaacc tctaaccgac attcctgaaa 1500
 tacgtggcat tattcttttt tggatttctc atttatggaa ggctaaccct ctgttgaccg 1560
 taagcctttt ggtttgggct gtattgaaat cttttctaaa ttgcatgaat aggcctctgt 1620
 aacgtgatga gacaaactga aaattattgc aagcattgac tataattatg cagtacgttc 1680
 tcaggatgca tccaggggtt cattttcatg agcctgtcca ggttagttta ctctgacca 1740
 ctaatagcat tgtcatttgg gctttctgtt gaatgaatca acaaaccaca atacttctctg 1800
 ggaccttttg tactttat tgaactatgag tctttaattt ttctgatga tgggtggctgt 1860
 aatatgttga gttcagttta cttaaagggtt tactattatg gtttgaagtg gagtctcatg 1920
 acctctcaga ataagggtgc acctccctga aattgcata atgtatatag acatgcacac 1980
 gtgtgcattt gtttgtatac atatatattgt cttctgtata gcaagttttt tgcatcatcag 2040
 cagagagcaa cagatgtttt attgagtga gacctaaaa gcacacacca cacacagcta 2100
 actgccaaaa tacattgacc gtagtagctg ttcaactcct agtacttaga aatacacgta 2160
 tggttaatgt tcagtcacac aaaccacaca cagtaaatgt ttattaatag tcatggttcg 2220
 tatttttaggt gactgaaatt gcaacagtga tcataatgag gtttggttaa acgatagcta 2280
 tattcaaaat gtctatatgt ttatttggac ttttgaggtt aaagacagtc atataaacgt 2340
 cctgtttctg ttttaattgt atcatagaat tttttaatga aactaaattc aattgaaata 2400
 aatgatagtt ttcactctca 2420

<210> 12
 <211> 703
 <212> DNA
 <213> Homo sapiens

<400> 12
 caagcagggc atgagttcac caccocagta acaacagtgc attacaatac ttaataatgg 60

aacaaggaga	gtagtatttt	agtctcaaaa	gcattggcac	ttacaaccta	ttgctttgtt	120
tttagtggtt	tccagctgtg	gttgcaattgc	acgtagaaag	tggaataatg	taatgggctt	180
tgaaaccata	ataatgaatg	tctgaataat	gacattatit	cttgcgtttg	taatactgtt	240
aattaaatct	atgtcgatcc	tgttggaatt	cataaaatca	tctaaaaatt	tttctaaata	300
tacagtgttg	ttttcccat	tgtatcttga	tctcaagcaa	caaagtgtta	aagtatagct	360
attaatgtca	ttaaatgtga	attgtttcaa	cattatgaag	ggttcctctt	ggtaagtggc	420
agaaggagcc	aggcttaggt	ttgaagtga	actgacttta	ttcccttctt	cctccttacg	480
tagctctgga	tgccgggcag	gttggttttg	cactgtccta	tgccctcacg	ctcatgggga	540
tgtttcagtg	gtgtgttcga	caaagtgtcg	aagttgagaa	tatgatgcct	gtaatccag	600
ctactagaga	ggctgaggca	ggagaatcgc	ttgaacctgg	gaggcgagg	ttgtggtgag	660
ccgagatctc	acaattgcac	tccagcctgg	gcaacaagag	tga		703

<210> 13
 <211> 1688
 <212> DNA
 <213> Homo sapiens

<400> 13						
tcacagaaag	ccacgggtacc	atttgtgtatg	tgtatcgtat	attgcctgta	tcacttagct	60
ttctggaatc	taaagggttcc	ttgggtgtgc	aactttggtg	ccctactcca	cgtaaaaaatc	120
ttctgtagct	caactgagca	aaacacactc	gcacattcat	ctacttattc	atcatgctta	180
ttaccgttct	caaagtctat	cagggtttgt	gccttaagag	actacagagt	caaagctcat	240
ttttaaagga	gtaggacaaa	gttgtcacag	gtttttgttg	ttgtttttat	tgtccccaaa	300
attacatgtt	aatttccatt	tatatcaggg	attctattta	cttgaagact	gtgaagttgc	360
cattttgtct	cattgttttc	tttgacataa	ctaggatcca	ttatttcccc	tgaaggcttc	420
ttgttagaaa	atagtacagt	tacaaccaat	aggaacaaca	aaaagaaaaa	gtttgtgaca	480
ttgtagtagg	gagtgtgtac	cccttactcc	ccatcaaaaa	aaaaaatgga	tacatggtta	540
aaggatagaa	gggcaatatt	ttatcatatg	ttctaaaaga	gaaggaagag	aaaatactac	600
tttctcaaaa	tggaagccct	taaagggtgt	ttgatactga	aggacacaaa	tgtgaccgtc	660
catcctcctt	tagagttgca	tgacttggac	acggtaactg	ttgcagtttt	agactcagca	720
ttgtgacact	tcccaagaag	gccaaacctc	taaccgacat	tcctgaaata	cgtggcatta	780
ttcttttttg	gatttctcat	ttatggaagg	ctaaccctct	gttgaccgta	agccttttgg	840
tttgggctgt	attgaaatcc	tttctaaatt	gcataaatag	gctctgctaa	cgtgatgaga	900
caaactgaaa	attattgcaa	gcattgacta	taattatgca	gtacgttctc	aggatgcac	960
caggggttca	ttttcatgag	cctgtccagg	ttagtttact	cctgaccact	aatagcattg	1020
tcattttggc	tttctgttga	atgaatcaac	aaaccacaat	acttctctgg	accttttgta	1080
ctttatttga	actatgagtc	tttaattttt	cctgatgatg	gtggctgtaa	tatgttgagt	1140
tcagtttact	aaaggtttta	ctattatggg	ttgaagtggg	gtctcatgac	ctctcagaat	1200
aagggtgtcac	ctccctgaaa	ttgcataatat	gtatatagac	atgcacacgt	gtgcatttgt	1260
ttgtatacat	atatttgtcc	ttcgtatagc	aagttttttg	ctcatcagca	gagagcaaca	1320
gatgttttat	tgagtgaagc	cttaaaaagc	acacaccaca	cacagctaac	tgtccaaaata	1380
cattgaccgt	agtagctgtt	caactcctag	tacttagaaa	tacacgtatg	gttaatgttc	1440
agtccaacaa	accacacaca	gtaaatgttt	attaatagtc	atgggttcgta	tttttaggtga	1500
ctgaaattgc	aacagtgatc	ataatgaggt	ttgttaaaac	gatagctata	ttcaaaatgt	1560
ctatatgttt	atgttgactt	ttgaggttaa	agacagtcac	ataaacgtcc	tgtttctgtt	1620
ttaatgttat	catagaattt	tttaatgaaa	ctaaattcaa	ttgaaataaa	tgatagtttt	1680
catctcca						1688

<210> 14
 <211> 5833
 <212> DNA
 <213> Homo sapiens

<400> 14						
ggacaggcgt	ggcggccgga	gccccagcat	ccctgcttga	ggtccaggag	cggagcccgc	60
ggccaccgcc	gctgatcag	cgcgaccccg	gcccgcgccc	gccccgcccg	gcaagatgct	120
gcccgtgtac	caggaggtga	agcccaaccc	gctgcaggac	gcgaacatct	gctcacgcgt	180

gttcttctg	tggtcaatc	ccttgtttaa	aattggccat	aaacggagat	tagaggaaga	240
tgatatgtat	tcagtgtgc	cagaagaccg	ctcacagcac	cttgagagg	agttgcaagg	300
gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	ctttaacaag	360
agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	cgtaattga	420
ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	attttgaaaa	480
ttatgatccc	atggattctg	tggttttgaa	cacagcgtac	gcctatgcca	cggtgctgac	540
tttttgacg	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	ttcagtgtgc	600
tgggatgagg	ttacgagtag	ccatgtgcca	tatgatttat	cggaaggcac	ttcgtcttag	660
taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	ccaatgatgt	720
gaacaagttt	gatcagggtga	cagtgttctt	acacttcctg	tgggcaggac	cactgcaggc	780
gatcgacagt	actgccctac	tctggatgga	gataggaata	tcgtgccttg	ctgggatggc	840
agttctaata	attctcctgc	ccttgcaaaag	ctgttttggg	aagttgttct	catcactgag	900
gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	ttataactgg	960
tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaatctta	ttaccaattt	1020
gagaagaag	gagatttcca	agattctgag	aagttcctgc	ctcaggggga	tgaatttggc	1080
ttcgtttttc	agtccaagca	aatcatcgt	gtttgtgacc	ttcaccacct	acgtgctcct	1140
cggcagtgtg	atcacagcca	gccgcgtgtt	cgtggcagtg	acgctgtatg	gggctgtgcg	1200
gctgacggtt	accctcttct	tcccctcagc	cattgagagg	gtgtcagagg	caatcgtcag	1260
catccgaaga	atccagacct	ttttgctact	tgatgagata	tcacagcgca	accgtcagct	1320
gccgtcagat	ggtaaaaaga	tgggtcatgt	gcaggatttt	actgcttttt	gggataaggc	1380
atcagagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	aattgttagc	1440
tgtggtcggc	cccggtgggag	cagggaagtc	atcactgtta	agtgccgtgc	tcggggaatt	1500
ggccccaagt	cacgggctgg	tcagcgtgca	tggagaatt	gcctatgtgt	ctcagcagcc	1560
ctgggtgttc	tcgggaactc	tgaggagtaa	tattttatatt	gggaagaaat	atgaaaagga	1620
acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	tggttgaggga	1680
tggtgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtggagggc	agaaagcacg	1740
ggtaaacctt	gcaagagcag	tgtatcaaga	tgctgacatc	tatctcctgg	acgatcctct	1800
cagtgcagta	gatgcggaag	ttagcagaca	cttgttcgaa	ctgtgtattt	gtcaaatttt	1860
gcatgagaag	atcacaattt	tagtgactca	tcagttgcag	tacctcaaag	ctgcaactca	1920
gattctgata	ttgaaagatg	gtaaaatggt	gcagaagggg	acttacactg	agttcctaaa	1980
atctggtata	gattttggct	ccctttttaa	gaaggataat	gaggaaagtg	aacaacctcc	2040
agttccagga	actcccacac	taaggaatcg	taccttctca	gagtcttcgg	tttgggtctca	2100
acaatcttct	agacctcctt	tgaaagatgg	tgctctggag	agccaagata	cagagaatgt	2160
cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttgggtttt	aggcctataa	2220
gaattacttc	agagctgggtg	ctcactggat	tgtcttcatt	ttccttattc	tcctaaacac	2280
tgcagctcag	gttgccctatg	tgcttcaaga	ttgggtggctt	tcatactggg	caaacaaaca	2340
aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	tagatcttaa	2400
ctggtagtta	ggaattttatt	caggtttaac	tgtagctacc	gttctttttg	gcatagcaag	2460
atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	acaaaatggt	2520
tgagtcaatt	ctgaaagctc	cggatttatt	ctttgataga	aatccaatag	gaagaatttt	2580
aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	cgtttttaga	2640
tttcatccag	acattgtctac	aagtggttgg	tgtggtctct	gtggctgtgg	ccgtgattcc	2700
ttggatcgca	atacccttgg	ttccccttgg	aatcattttc	atttttcttc	ggcgatattt	2760
tttgaaaacg	tcaagagatg	tgaagcgcct	ggaatctaca	actcggagtc	cagtgttttc	2820
ccacttgtca	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaaag	cagaagagag	2880
gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttggg	tcttggtttt	2940
gacaacgtcc	cgctggttcg	ccgtccgtct	ggatgccatc	tgtgccatgt	ttgtcatcat	3000
cgttgccctt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	ttgggttggc	3060
actgtcctat	gccctcacgc	tcattgggat	gtttcagtgg	tgtgttcgac	aaagtgtgta	3120
agttgagaat	atgatgatct	cagtagaaag	ggtcattgaa	tacacagacc	ttgaaaaaga	3180
agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	ccccatgaag	gagtataaat	3240
ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctggtagtga	agcatctgac	3300
agcactcatt	aaatcacaaag	aaaagggttg	cattgtggga	agaaccggag	ctggaaaaag	3360
ttccctcatt	tcagcccttt	ttagattgtc	agaacccgaa	ggtaaaattt	ggattgataa	3420
gatcttgaca	actgaaattg	gacttcacga	tttaaggaag	aaaatgtcaa	tcataacctca	3480
ggaacctgtt	ttgttccactg	gaacaatgag	gaaaaacctg	gatcccttta	atgagcacac	3540
ggatgaggaa	ctgtggaatg	ccttacaaga	ggtacaactt	aaagaaacca	ttgaagatct	3600
tcctggtaaa	atggatactg	aattagcaga	atcaggatcc	aatttttagtg	ttggacaaaag	3660
acaactgggtg	tgcccttgcca	gggcaattct	caggaaaaat	cagatattga	ttattgatga	3720

agcgacggca	aatgtggatc	caagaactga	tgagttaata	caaaaaaaaa	tccgggagaa	3780
atttgccac	tgcaccgtgc	taaccattgc	acacagattg	aacaccatta	ttgacagcga	3840
caagataatg	gttttagatt	caggaagact	gaaagaatat	gatgagccgt	atgttttgct	3900
gcaaaataaa	gagagcctat	tttacaagat	gggtcaacaa	ctgggcaagg	cagaagccgc	3960
tgccctcact	gaaacagcaa	aacaggtata	cttcaaaaga	aattatccac	atattggtca	4020
cactgaccac	atgggttaca	acacttccaa	tggacagccc	tgcaccttaa	ctattttcga	4080
gacagcactg	tgaatccaac	caaaatgtca	agtccgttcc	gaaggcattt	tccactagtt	4140
tttggtactat	gtaaacacaca	ttgtactttt	ttttactttg	gcaacaaata	tttatacata	4200
caagatgcta	gttcattttga	atattttctcc	caacttatcc	aaggatctcc	agctctaaca	4260
aaatggttta	tttttattta	aatgtcaata	gttggttttt	aaaatccaaa	tcagagggtgc	4320
aggccaccag	ttaaagcccg	tctatcaggt	tttgtgcctt	aagagactac	agagtcaaaag	4380
ctcattttta	aaggagtagg	acaaagttgt	cacaggtttt	tgttggtgtt	tttattgccc	4440
ccaaaattac	atgttaattt	ccattttatat	cagggtattct	atttacttga	agactgtgaa	4500
gttgccattt	tgtctcattg	ttttctttga	cataactagg	atccattatt	tcccctgaag	4560
gcttcttggt	agaaaatagt	acagttacaa	ccaataggaa	caacaaaaag	aaaaagtttg	4620
tgacattgta	gtaggagtg	tgtaccctt	actccccatc	aaaaaaaaaa	atggatatac	4680
ggttaaagga	tagaaggcca	atatttttatc	atatgttcta	aaagagaagg	aagagaaaat	4740
actactttct	caaaatggaa	gcccttaaaag	gtgctttgat	actgaaggac	acaaatgtga	4800
ccgtccatcc	tccttttagag	ttgcatgact	tggacacggg	aactgttgca	gttttagact	4860
cagcattgtg	acacttccca	agaaggccaa	acctctaacc	gacattcctg	aaatacgtgg	4920
cattattctt	ttttggattt	ctcatttatg	gaaggctaac	cctctgttga	ccgtaagcct	4980
tttggtttgg	gctgtattga	aatcctttct	aaattgcatg	aataggctct	gctaacgtga	5040
tgagacaaac	tgaaaattat	tgcaagcatt	gactataatt	atgcagtacg	ttctcaggat	5100
gcatccaggg	gttcattttc	atgagcctgt	ccagggttagt	ttactcctga	ccactaatag	5160
cattgtcatt	tgggctttct	gttgaatgaa	tcaacaaacc	acaatacttc	ctgggacctt	5220
ttgtacttta	tttgaactat	gagtctttaa	tttttcttga	tgatggtggc	tgtaatatgt	5280
tgagttcagt	ttactaaagg	ttttactatt	atggtttgaa	gtggagtctc	atgacctctc	5340
agaataaggt	gtcacctccc	tgaaattgca	tatatgtata	tagacatgca	cacgtgtgca	5400
tttgtttgta	tacatatatt	tgtccttcgt	atagcaagtt	ttttgtcat	cagcagagag	5460
caacagatgt	tttattgagt	gaagccttaa	aaagcacaca	ccacacacag	ctaactgcc	5520
aaatacagtg	accgtagtag	ctgttcaact	cctagtactt	agaaatacac	gtatggttaa	5580
tgttcagtc	acaaaccac	acacagtaaa	tgtttattaa	tagtcatggg	tcgtatttta	5640
ggtgactgaa	attgcaacag	tgatcataat	gagggtttgtt	aaaacgatag	ctatatccaa	5700
aatgtctata	tgtttatttg	gacttttgag	gttaaagaca	gtcatataaa	cgtcctgttt	5760
ctgttttaat	gttatcatag	aattttttaa	tgaaactaaa	ttcaattgaa	ataaatgata	5820
gttttcatct	cca					5833

<210> 15

<211> 1182

<212> DNA

<213> Homo sapiens

<400> 15

actcaatgtc	tgggctccaa	accatgcata	atatccacaa	ctaaaatggc	catgtcacca	60
agagagcttc	ctctatttct	cagattactg	gaagattcat	gccagaggat	atccataatt	120
tagacttctc	gggattccga	cattctctct	atcccaattt	ttaatcatct	gagtctgtat	180
taactgcttg	ccagcagtta	atacagactc	agcattgtga	cacttcccaa	gaaggccaaa	240
cctctaaccg	acattcctga	aatacgtggc	attattcttt	tttggatttc	tcatttatgg	300
aaggctaacc	ctctgttgac	cgtaagcctt	ttggtttggg	ctgtattgaa	atcctttcta	360
aattgcatga	ataggctctg	ctaacgtgat	gagacaaact	gaaaattatt	gcaagcattg	420
actataatta	tgcagtacgt	tctcaggatg	catccagggg	ttcattttca	tgagcctgtc	480
cagggttagtt	tactcctgac	cactaatagc	attgtcattt	gggctttctg	ttgaatgaat	540
caacaaacca	caatacttcc	tgggaccttt	tgtactttat	ttgaactatg	agtctttaat	600
ttttcctgat	gatgggtggc	gtaatatgtt	gagttcagtt	tactaaagg	tttactatta	660
tggtttgaa	tggagtctca	tgacctctca	gaataagggtg	tcacctccct	gaaattgcat	720
atatgtatat	agacatgcac	acgtgtgcat	ttgtttgtat	acatatattt	gtccttcgta	780
tagcaagttt	tttgctcatc	agcagagagc	aacagatgtt	ttattgagtg	aagccttaaa	840
aagcacacac	cacacacagc	taactgccaa	aatacattga	ccgtagtagc	tgttcaactc	900

ctagtactta	gaaatacacg	tatgggttaat	gttcagtgcca	acaaaccaca	cacagtaa	960
gtttattaat	agtcattggtt	cgtatttttag	gtgactgaaa	ttgcaacagt	gatcataatg	1020
aggttttgtta	aaacgatagc	tatatccaaa	atgtctatat	gtttatttgg	acttttgagg	1080
ttaaagacag	tcatataaac	gtcctgtttc	tggttttaatg	ttatcataga	attttttaat	1140
gaaactaaat	tcaattgaaa	ttaatgatag	ttttcatctc	ca		1182

<210> 16

<211> 5862

<212> DNA

<213> Homo sapiens

<400> 16

ggacaggcgt	ggcggccgga	gccccagcat	ccctgcttga	ggtccaggag	cggagccccg	60
ggccaccgcc	gcctgatcag	cgcgaccccg	gcccgcgccc	gccccgccc	gcaagatgct	120
gcccgtgtac	caggagggtga	agcccaaccc	gctgcaggac	gcgaacatct	gctcacgcgt	180
gttcttctgg	tggtcgaatc	ccttggttaa	aattggccat	aaacggagat	tagaggaaga	240
tgatatgtat	tcagtgtctg	cagaagaccg	ctcacagcac	cctggagagg	agttgcaagg	300
gttctgggat	aaagaagttt	taagagctga	gaatgacgca	cagaagcctt	ctttaacaag	360
agcaatcata	aagtgttact	ggaaatctta	tttagttttg	ggaattttta	cgtaattga	420
ggaaagtgcc	aaagtaatcc	agcccatatt	tttgggaaaa	attattaatt	attttgaaaa	480
ttatgatccc	atggattctg	tggttttgaa	cacagcgtac	gcctatgcca	cggtgctgac	540
tttttgacag	ctcatttttg	ctatactgca	tcacttatat	ttttatcacg	ttcagtgtgc	600
tggtgatgag	ttacgagtag	ccatgtgcca	tatgatattat	cggaaggcac	ttcgtcttag	660
taacatggcc	atggggaaga	caaccacagg	ccagatagtc	aatctgctgt	ccaatgatgt	720
gaacaagttt	gatcagggtga	cagtgttctt	acacttcctg	tgggcaggac	cactgcaggc	780
gatcgacagt	actgccttac	tctggatgga	gataggaata	tcgtgccttg	ctgggatggc	840
agtttctaate	attctcctgc	ccttgcaaaag	ctgttttggg	aagttgttct	catcactgag	900
gagtaaaact	gcaactttca	cggatgccag	gatcaggacc	atgaatgaag	ttataactgg	960
tataaggata	ataaaaatgt	acgcctggga	aaagtcattt	tcaaatctta	ttaccaattt	1020
gagaaagaag	gagattttcca	agattctgag	aagtctcctg	ctcaggggga	tgaatttgcc	1080
ttcgtttttc	agtgcgaagca	aaatcatcgt	gtttgtgacc	ttcaccacct	acgtgctcct	1140
cggcagtggt	atcacagcca	gcccgcgtgt	cgtggcagtg	acgtgtgatg	gggctgtgcg	1200
gctgacggtt	accctcttct	tcccctcagc	cattgagagg	gtgtcagagg	caatcgtcag	1260
catccgaaga	atccagacct	ttttgctact	tgatgagata	tcacagcgca	accgtcagct	1320
gccgtcagat	ggtaaaaaga	tggtgcatgt	gcaggatttt	actgcttttt	gggataaggc	1380
atcagagacc	ccaactctac	aaggcctttc	ctttactgtc	agacctggcg	aattgttagc	1440
tgtggtcggc	cccgtgggag	cagggaagtc	atcactgtta	agtgccgtgc	tcggggaatt	1500
ggccccaagt	cacgggctgg	tcagcgtgca	tggaagaatt	gcctatgtgt	ctcagcagcc	1560
ctgggtgttc	tcgggaactc	tgaggagtaa	tattttattt	gggaagaaat	atgaaaagga	1620
acgatatgaa	aaagtcataa	aggcttgtgc	tctgaaaaag	gatttacagc	tgttgaggga	1680
tggtgatctg	actgtgatag	gagatcgggg	aaccacgctg	agtggagggg	agaaagcacg	1740
ggtaaacctt	gcaagagcag	tgtatcaaga	tgctgacatc	tatctcctgg	acgatcctct	1800
cagtgcagta	gatgcggaag	ttagcagaca	cctgttcgaa	ctgtgtattt	gtcaaatttt	1860
gcatgagaag	atcacaattt	tagtgactca	tcagttgcag	tacctcaaag	ctgcaagtca	1920
gattctgata	ttgaaagatg	gtaaaatggt	gcagaagggg	acttacactg	agttcctaaa	1980
atctggtata	gattttggct	ccctttttaa	gaaggataat	gaggaaagtg	aacaacctcc	2040
agttccagga	actcccacac	taagggaatcg	taccttctca	gagtcttcgg	tttgggtctca	2100
acaatcttct	agaccctcct	tgaaagatgg	tgctctggag	agccaagata	cagagaatgt	2160
cccagttaca	ctatcagagg	agaaccgttc	tgaaggaaaa	gttggttttc	aggcctataa	2220
gaattacttc	agagctgggt	ctcactggat	tgtcttcatt	ttccttattc	tcctaaacac	2280
tgcagctcag	gttgccctatg	tgcttcaaga	ttgggtggctt	tcatactggg	caaacaaaca	2340
aagtatgcta	aatgtcactg	taaatggagg	aggaaatgta	accgagaagc	tagatcttaa	2400
ctggtactta	ggaatttatt	caggtttaac	tgtagctacc	gttctttttg	gcatagcaag	2460
atctctattg	gtattctacg	tccttggtta	ctcttcacaa	actttgcaca	acaaaatgtt	2520
tgagtcaatt	ctgaaagctc	cggtattatt	ctttgataga	aatccaatag	gaagaatttt	2580
aaatcgtttc	tccaaagaca	ttggacactt	ggatgatttg	ctgccgctga	cgtttttaga	2640
tttcatccag	acattgctac	aagtgggttg	tgtggtctct	gtggctgtgg	ccgtgattcc	2700
ttggatcgca	atacccttgg	ttccccttgg	aatcattttc	atttttcttc	ggcgatattt	2760

tttgaaacg	tcaagagatg	tgaagcgccct	ggaatctaca	actcggagtc	cagtgttttc	2820
ccacttgta	tcttctctcc	aggggctctg	gaccatccgg	gcatacaaa	cagaagagag	2880
gtgtcaggaa	ctgtttgatg	cacaccagga	tttacattca	gaggcttgg	tcttggtttt	2940
gacaacgtcc	cgctggttcg	ccgtccgtct	ggatgccatc	tgtgccatgt	ttgtcatcat	3000
cgttgccttt	gggtccctga	ttctggcaaa	aactctggat	gccgggcagg	ttggtttggc	3060
actgtcctat	gccctcacgc	tcatggggat	gtttcagtg	tgtgttcgac	aaagtgtga	3120
agttgagaat	atgatgatct	cagtagaaa	gggtcattgaa	tacacagacc	ttgaaaaaga	3180
agcaccttgg	gaatatcaga	aacgcccacc	accagcctgg	ccccatgaag	gagtgtataat	3240
ctttgacaat	gtgaacttca	tgtacagtcc	aggtgggcct	ctggtactga	agcatctgac	3300
agcactcatt	aaatcacaa	aaaagggttg	cattgtggga	agaaccggag	ctggaaaaag	3360
ttccctcatc	tcagcccttt	ttagattgtc	agaacccgaa	ggtaaaattt	ggattgataa	3420
gatcttgaca	actgaaattg	gacttcacga	tttaaggga	aaaatgtcaa	tcataacctca	3480
ggaacctgtt	ttgttcaactg	gaacaatgag	gaaaaacctg	gatcccttta	atgagcacac	3540
ggatgaggaa	ctgtggaatg	ccttacaaga	ggtacaactt	aaagaaacca	ttgaagatct	3600
tcctggtaaa	atggatactg	aattagcaga	atcaggatcc	aatttttagtg	ttggacaaag	3660
acaactgggtg	tgccttgcca	gggcaattct	caggaaaaat	cagatattga	ttattgatga	3720
agcgacggca	aatgtggatc	caagaactga	tgaagttaata	caaaaaaaaa	tccgggagaa	3780
atttgcccac	tgcaccgtgc	taaccattgc	acacagattg	aacaccatta	ttgacagcga	3840
caagataatg	gttttagatt	caggaagact	gaaagaatat	gatgagccgt	atgttttgct	3900
gcaaaataaa	gagagcctat	tttacaagat	ggtgcaacaa	ctgggcaagg	cagaagccgc	3960
tgccctcact	gaaacagcaa	aacagggtata	cttcaaaaaga	aattatccac	atatttgtca	4020
cactgaccac	atggttacia	acacttccaa	tggacagccc	tcgaccttaa	ctattttcga	4080
gacagcactg	tgaatccaac	caaaatgtca	agtccgttcc	gaaggcattt	tccactagtt	4140
tttggaactat	gtaaacacaa	ttgtactttt	ttttactttg	gcaacaaata	tttatacata	4200
caagatgcta	gttcatttga	atatttctcc	caacttatcc	aaggatctcc	agctctaaca	4260
aaatgggtta	tttttattta	aatgtcaata	gttgtttttt	aaaatccaaa	tcagaggtgc	4320
aggccaccag	ttaaatgccg	tctatcaggt	tttgtgcctt	aagagactac	agagtcaaag	4380
ctcattttta	aaggagtagg	acaaagttgt	cacaggtttt	tgttgttgtt	tttattgccc	4440
ccaaaattac	atgttaattt	ccatttatat	cagggtattct	atttacttga	agactgtgaa	4500
gttgccattt	tgtctcattg	ttttctttga	cataactagg	atccattatt	ttccctgaag	4560
gcttcttggt	agaaaatagt	acagttacaa	ccaataggaa	caacaaaaag	aaaaagtttg	4620
tgacattgta	gtaggagtg	tgtaccctt	actccccatc	aaaaaaaaaa	atggatatac	4680
ggttaaagga	tagaagggca	atattttatc	atatgttcta	aaagagaagg	aagagaaaaat	4740
actactttct	caaaatggaa	gcccttaaa	gtgctttgat	actgaaggac	acaaatgtga	4800
ccgtccatcc	tccttttagag	ttgcatgact	tggacacggg	aactgttgca	gttttagact	4860
cagcattgtg	acacttccca	agaaggccaa	acctctaacc	gacattcctg	aaatacgtgg	4920
cattattctt	ttttggattt	ctcatttatg	gaaggctaac	cctctgttga	ccgtaagcct	4980
tttggtttgg	gctgtattga	aatcctttct	aaattgcatg	aataggctct	gctaacgtga	5040
tgagacaaac	tgaaaattat	tgcaagcatt	gactataatt	atgcagtacg	ttctcaggat	5100
gcatccaggg	gttcattttc	atgagcctgt	ccaggttagt	ttactcctga	ccactaatag	5160
cattgtcatt	tgggctttct	gttgaatgaa	tcaacaaacc	acaatacttc	ctgggacctt	5220
ttgtacttta	tttgaactat	gagtctttaa	tttttctctga	tgatggtggc	tgtaatatgt	5280
tgagttcagt	ttactaaagg	ttttactatt	atggtttgaa	gtggagtctc	atgacctctc	5340
agaataaggt	gtcacctccc	tgaaattgca	tatatgtata	tagacatgca	cacgtgtgca	5400
tttgtttgta	tacatatatt	tgtccttcgt	atagcaagtt	ttttgtcat	cagcagagag	5460
caacagatgt	tttattgagt	gaagccttaa	aaagcacaca	ccacacacag	ctaactgcca	5520
aaatacattg	accgtagtag	ctgttcaact	cctagtactt	agaaatacac	gtatgggttaa	5580
tgttcagtc	aacaaaccac	acacagtaaa	tgtttattaa	tagtcatggg	tcgtatttta	5640
ggtgactgaa	attgcaacag	tgatcataat	gagggtttgtt	aaaacgatag	ctatatccaa	5700
aatgtctata	tgtttatattg	gacttttgag	gttacatgca	gtgacattca	ggtcgcgttt	5760
cggttgatcat	gagatcagag	ggtttttgat	ccagaccac	ccccgcccc	ccccgcgcgc	5820
ctttgctgcc	tcttccagag	accagcttg	cagagcgggc	gc		5862

<210> 17

<211> 1118

<212> DNA

<213> Homo sapiens

```

<400> 17
taaactagtc caggttccca cagctcgtaa gctgctgtct cttgtctccc aggtctcagc 60
tcagctgtgt ctttgggaca tctttccaga ccattcactc tgtaggagcc acctaccgct 120
gagtctgtag cagttaatac agactcagca ttgtgacact tcccaagaag gccaaacctc 180
taaccgacat tcctgaaata cgtggcatta ttcttttttg gatttctcat ttatggaagg 240
ctaaccctct gttgaccgta agccttttgg tttgggctgt attgaaatcc tttctaaatt 300
gcatgaatag gctctgctaa cgtgatgaga caaactgaaa attattgcaa gcattgacta 360
taattatgca gtacgttctc aggatgcata caggggttca ttttcatgag cctgtccagg 420
ttagtttact cctgaccact aatagcattg tcatttgggc tttctgttga atgaatcaac 480
aaaccacaat acttcctggg accttttcta ctttatttga actatgagtc ttttaatttt 540
cctgatgatg gtggctgtaa tatgttgagt tcagtttact aaaggtttta ctattatggt 600
ttgaagtgga gtctcatgac ctctcagaat aagggtgtcac ctccctgaaa ttgcatatat 660
gtatatagac atgcacacgt gtgcatttgt ttgtatacat atatttgtcc ttcgtatagc 720
aagttttttg ctcatcagca gagagcaaca gatgtttttt tgagtgaagc cttaaaaaagc 780
acacaccaca cacagctaac tgccaaaata cattgaccgt agtagctgtt caactcctag 840
tacttagaaa tacacgtatg gttaatgttc agtccaacaa accacacaca gtaaatgttt 900
attaatagtc atggttcgtt ttttaggtga ctgaaattgc aacagtgatc ataatgaggt 960
ttgttaaaac gatagctata ttcaaaatgt ctatatgttt atttggactt ttgagggttaa 1020
agacagtcata ataaa cc tgtttctgtt ttaatgttat catagaattt tttaatgaaa 1080
ctaaattcaa ttgaaatcaa tgatagtttt catctcca 1118

```

```

<210> 18
<211> 1531
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)..(1531)
<223> n=a,t,g or c

```

```

<400> 18
caagcagggc atgagttcac caccocagta acaacagtgc attacaatac ttaataatgg 60
aacaaggaga gtagtatttt agtctcaaaa gcattggcac ttacaacctt ttgctttgtt 120
tttagtggtt tccagctgtg gttgcattgc acgtagaaag tggataatg taatgggctt 180
tgaaaccata ataataatg tctgaataat gacattatct cttgcgtttg taatactgtt 240
aattaaatct atgtcgatcc tgttggaatt cataaaatca tctaaaaatt tttctaaata 300
tacagtgttg ttttcccat tgtatcttga tctcaagcaa caaatggtaa aagtatagct 360
attaatgtca ttaaatgtga attgtttcaa cattatgaag gggtccctct ggtaagtggc 420
agaaggagcc aggcttaggt ttgaagttag actgacttta ttccttctct cctccttacg 480
tagctctgga tgccgggcag gttgggttgg cactgtccta tgccctcacg ctcatgggga 540
tgtttcagtg gtgtgttcga caaagtgtg aagttgagaa tatgatgatc tcagtagaaa 600
gggtcattga atacacagac cttgaaaaag aagcaccttg ggaatatcag aaacgcccac 660
caccagcctg gccccatgaa ggagtgataa tctttgacaa tgtgaacttc atgtacagtc 720
caggtgggoc tctggtactg aagcatctga cagcactcat taaatcacia gaaaagggtt 780
gcattgtggg aagaaccgga gctggaaaaa gttccctcat ctcagccctt tttagattgt 840
cagaaccgga aggtaaaatt tggattgata agatcttgac aactgaaaatt ggacttcacg 900
atttaaggaa gaaaatgtca atcatacctc aggaacctgt tttgttact ggaacaatga 960
ggaaaaacct ggatcccttt aatgagcaca cggtatgagga actgtggaat gccttacaag 1020
aggtacaact taaagaaacc attgaagatc ttcctggtta aatggatact gaattagcag 1080
aatcaggatc caattttagt gttggacaaa gacaactggg gtgccttgcc agggcaattc 1140
tcaggaaaaa tcagatatgt attattgatg aagcgacggc aaatgtggat ccaagaactg 1200
atgagttaat acaaaaaaaa atccgggaga aatttgccca ctgcaccgtg ctaaccattg 1260
cacacagatt gaacaccatt attgacagcg acaagataat gggttttagat tcagggaagac 1320
tgaaagaata tgatgagccg tatgttttgc tgcaaaaata agagagccta ttttttacia 1380
gggtgggtgg caaccacttg gggccaggggc nggaggccgc ttgcccttca cttggaaacc 1440
ngccaaaccg gggttttact tcccaaaggg atttttnccc cttttttggg ttcaccantg 1500
gaccccttgg ggttnccaac cttttccctt t 1531

```

<210> 19
 <211> 286
 <212> PRT
 <213> Homo sapiens

<400> 19

```

Leu His Leu Leu Gly Ser Ser Asp Ser Pro Val Ser Ala Ser Arg Val
1          5          10          15

Ala Gly Ile Thr Gly Ala Pro His Pro Ala Trp Leu Leu Phe Val Phe
20          25          30

Leu Val Glu Met Gly Phe His His Val Gly Gln Ala Gly Leu Glu Leu
35          40          45

Leu Thr Thr Ser Glu Pro Pro Ala Ser Ala Ser Gln Ser Ala Gly Ile
50          55          60

Thr Gly Met Ser His His Thr Gln Pro Gly His Met Phe Asn Ile Ser
65          70          75          80

Leu Ser Tyr Glu Pro Val Leu Phe Thr Gly Thr Met Arg Lys Asn Leu
85          90          95

Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp Asn Ala Leu Gln
100         105         110

Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly Lys Met Asp
115         120         125

Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly Gln Arg Gln
130         135         140

Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln Ile Leu Ile
145         150         155         160

Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp Glu Leu Ile
165         170         175

Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr Val Leu Thr Ile
180         185         190

Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile Met Val Leu
195         200         205

Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val Leu Leu Gln
210         215         220

Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln Leu Gly Lys Ala
225         230         235         240

Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Val Tyr Phe Lys Arg
245         250         255

Asn Tyr Pro His Ile Gly His Thr Asp His Met Val Thr Asn Thr Ser
260         265         270

Asn Gly Gln Pro Ser Thr Leu Thr Ile Phe Glu Thr Ala Leu
275         280         285

```

<210> 20
 <211> 225
 <212> PRT
 <213> Homo sapiens

<400> 20
 Asp Leu Ile Asn Pro Asn Phe Thr Phe Gly Phe Trp Arg Phe Lys Glu
 1 5 10 15
 Glu Asn Val Asn His Thr Glu Pro Val Leu Phe Thr Gly Thr Met Arg
 20 25 30
 Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp Asn
 35 40 45
 Ala Leu Gln Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly
 50 55 60
 Lys Met Asp Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly
 65 70 75 80
 Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln
 85 90 95
 Ile Leu Ile Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp
 100 105 110
 Glu Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr Val
 115 120 125
 Leu Thr Ile Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile
 130 135 140
 Met Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val
 145 150 155 160
 Leu Leu Gln Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln Leu
 165 170 175
 Gly Lys Ala Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Val Tyr
 180 185 190
 Phe Lys Arg Asn Tyr Pro His Ile Gly His Thr Asp His Met Val Thr
 195 200 205
 Asn Thr Ser Asn Gly Gln Pro Ser Thr Leu Thr Ile Phe Glu Thr Ala
 210 215 220
 Leu
 225

<210> 21
 <211> 1325
 <212> PRT
 <213> Homo sapiens

<400> 21

Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
 1 5 10 15
 Asn Ile Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
 20 25 30
 Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu
 35 40 45
 Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
 50 55 60
 Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu
 65 70 75 80
 Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly
 85 90 95
 Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe
 100 105 110
 Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser
 115 120 125
 Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys
 130 135 140
 Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln
 145 150 155 160
 Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg
 165 170 175
 Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly
 180 185 190
 Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val
 195 200 205
 Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala
 210 215 220
 Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly
 225 230 235 240
 Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys
 245 250 255
 Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg
 260 265 270
 Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met
 275 280 285
 Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile Thr Asn Leu Arg Lys
 290 295 300
 Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys Leu Arg Gly Met Asn
 305 310 315 320

Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile Val Phe Val Thr Phe
 325 330 335
 Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr Ala Ser Arg Val Phe
 340 345 350
 Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu Thr Val Thr Leu Phe
 355 360 365
 Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg
 370 375 380
 Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg
 385 390 395 400
 Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr
 405 410 415
 Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser
 420 425 430
 Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly
 435 440 445
 Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro
 450 455 460
 Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln
 465 470 475 480
 Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly
 485 490 495
 Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala
 500 505 510
 Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile
 515 520 525
 Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn
 530 535 540
 Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp
 545 550 555 560
 Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu
 565 570 575
 Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His
 580 585 590
 Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp
 595 600 605
 Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly
 610 615 620
 Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln

625		630		635		640									
Pro	Pro	Val	Pro	Gly	Thr	Pro	Thr	Leu	Arg	Asn	Arg	Thr	Phe	Ser	Glu
				645					650					655	
Ser	Ser	Val	Trp	Ser	Gln	Gln	Ser	Ser	Arg	Pro	Ser	Leu	Lys	Asp	Gly
			660					665					670		
Ala	Leu	Glu	Ser	Gln	Asp	Thr	Glu	Asn	Val	Pro	Val	Thr	Leu	Ser	Glu
		675					680					685			
Glu	Asn	Arg	Ser	Glu	Gly	Lys	Val	Gly	Phe	Gln	Ala	Tyr	Lys	Asn	Tyr
	690					695					700				
Phe	Arg	Ala	Gly	Ala	His	Trp	Ile	Val	Phe	Ile	Phe	Leu	Ile	Leu	Leu
705					710					715					720
Asn	Thr	Ala	Ala	Gln	Val	Ala	Tyr	Val	Leu	Gln	Asp	Trp	Trp	Leu	Ser
				725					730					735	
Tyr	Trp	Ala	Asn	Lys	Gln	Ser	Met	Leu	Asn	Val	Thr	Val	Asn	Gly	Gly
			740					745					750		
Gly	Asn	Val	Thr	Glu	Lys	Leu	Asp	Leu	Asn	Trp	Tyr	Leu	Gly	Ile	Tyr
	755					760						765			
Ser	Gly	Leu	Thr	Val	Ala	Thr	Val	Leu	Phe	Gly	Ile	Ala	Arg	Ser	Leu
	770					775					780				
Leu	Val	Phe	Tyr	Val	Leu	Val	Asn	Ser	Ser	Gln	Thr	Leu	His	Asn	Lys
785					790					795					800
Met	Phe	Glu	Ser	Ile	Leu	Lys	Ala	Pro	Val	Leu	Phe	Phe	Asp	Arg	Asn
				805					810					815	
Pro	Ile	Gly	Arg	Ile	Leu	Asn	Arg	Phe	Ser	Lys	Asp	Ile	Gly	His	Leu
			820					825					830		
Asp	Asp	Leu	Leu	Pro	Leu	Thr	Phe	Leu	Asp	Phe	Ile	Gln	Thr	Leu	Leu
		835					840					845			
Gln	Val	Val	Gly	Val	Val	Ser	Val	Ala	Val	Ala	Val	Ile	Pro	Trp	Ile
	850					855					860				
Ala	Ile	Pro	Leu	Val	Pro	Leu	Gly	Ile	Ile	Phe	Ile	Phe	Leu	Arg	Arg
865					870					875				880	
Tyr	Phe	Leu	Glu	Thr	Ser	Arg	Asp	Val	Lys	Arg	Leu	Glu	Ser	Thr	Thr
				885					890					895	
Arg	Ser	Pro	Val	Phe	Ser	His	Leu	Ser	Ser	Ser	Leu	Gln	Gly	Leu	Trp
			900					905					910		
Thr	Ile	Arg	Ala	Tyr	Lys	Ala	Glu	Glu	Arg	Cys	Gln	Glu	Leu	Phe	Asp
		915					920					925			
Ala	His	Gln	Asp	Leu	His	Ser	Glu	Ala	Trp	Phe	Leu	Phe	Leu	Thr	Thr
	930					935					940				

Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile Cys Ala Met Phe Val
 945 950 955 960
 Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala Lys Thr Leu Asp Ala
 965 970 975
 Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu Thr Leu Met Gly Met
 980 985 990
 Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn Met Met Ile
 995 1000 1005
 Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu Glu Lys Glu Ala
 1010 1015 1020
 Pro Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp Pro His Glu
 1025 1030 1035
 Gly Val Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser Pro Gly
 1040 1045 1050
 Gly Pro Leu Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser Gln
 1055 1060 1065
 Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser
 1070 1075 1080
 Leu Ile Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile
 1085 1090 1095
 Trp Ile Asp Lys Ile Leu Thr Thr Glu Ile Gly Leu His Asp Leu
 1100 1105 1110
 Arg Lys Lys Met Ser Ile Ile Pro Gln Glu Pro Val Leu Phe Thr
 1115 1120 1125
 Gly Thr Met Arg Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp
 1130 1135 1140
 Glu Glu Leu Trp Asn Ala Leu Gln Glu Val Gln Leu Lys Glu Thr
 1145 1150 1155
 Ile Glu Asp Leu Pro Gly Lys Met Asp Thr Glu Leu Ala Glu Ser
 1160 1165 1170
 Gly Ser Asn Phe Ser Val Gly Gln Arg Gln Leu Val Cys Leu Ala
 1175 1180 1185
 Arg Ala Ile Leu Arg Lys Asn Gln Ile Leu Ile Ile Asp Glu Ala
 1190 1195 1200
 Thr Ala Asn Val Asp Pro Arg Thr Asp Glu Leu Ile Gln Lys Lys
 1205 1210 1215
 Ile Arg Glu Lys Phe Ala His Cys Thr Val Leu Thr Ile Ala His
 1220 1225 1230
 Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile Met Val Leu Asp
 1235 1240 1245

Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val Leu Leu Gln
 1250 1255 1260

Asn Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln Leu Gly Lys
 1265 1270 1275

Ala Glu Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Val Tyr Phe
 1280 1285 1290

Lys Arg Asn Tyr Pro His Ile Gly His Thr Asp His Met Val Thr
 1295 1300 1305

Asn Thr Ser Asn Gly Gln Pro Ser Thr Leu Thr Ile Phe Glu Thr
 1310 1315 1320

Ala Leu
 1325

<210> 22
 <211> 332
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)..(332)
 <223> X = any amino acid

<400> 22

Met Gly Met Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn
 1 5 10 15

Met Met Ile Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu Glu Lys
 20 25 30

Glu Ala Pro Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp Pro His
 35 40 45

Glu Gly Val Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser Pro Gly
 50 55 60

Gly Pro Leu Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser Gln Glu
 65 70 75 80

Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ile
 85 90 95

Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp Ile Asp
 100 105 110

Lys Ile Leu Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys Lys Met
 115 120 125

Ser Ile Ile Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met Arg Lys
 130 135 140

Asn Leu Asp Pro Phe Asn Glu His Thr Asp Glu Glu Leu Trp Asn Ala
 145 150 155 160
 Leu Gln Glu Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly Lys
 165 170 175
 Met Asp Thr Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly Gln
 180 185 190
 Arg Gln Leu Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln Ile
 195 200 205
 Leu Ile Ile Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp Glu
 210 215 220
 Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr Val Leu
 225 230 235 240
 Thr Ile Ala His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile Met
 245 250 255
 Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val Leu
 260 265 270
 Leu Gln Asn Lys Glu Ser Leu Phe Phe Thr Arg Trp Val Ala Asn His
 275 280 285
 Leu Gly Pro Gly Xaa Glu Ala Ala Cys Pro Ser Leu Gly Asn Xaa Pro
 290 295 300
 Asn Arg Val Leu Leu Ser Gln Arg Asp Phe Xaa Pro Leu Phe Gly Phe
 305 310 315 320
 Thr Xaa Gly Pro Leu Gly Val Xaa Asn Pro Phe Pro
 325 330

<210> 23
 <211> 954
 <212> PRT
 <213> Homo sapiens

<400> 23
 Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
 1 5 10 15
 Asn Ile Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
 20 25 30
 Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu
 35 40 45
 Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
 50 55 60
 Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu
 65 70 75 80
 Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly

85										90					95				
Ile	Phe	Thr	Leu	Ile	Glu	Glu	Ser	Ala	Lys	Val	Ile	Gln	Pro	Ile	Phe				
			100					105					110						
Leu	Gly	Lys	Ile	Ile	Asn	Tyr	Phe	Glu	Asn	Tyr	Asp	Pro	Met	Asp	Ser				
		115					120					125							
Val	Ala	Leu	Asn	Thr	Ala	Tyr	Ala	Tyr	Ala	Thr	Val	Leu	Thr	Phe	Cys				
	130					135					140								
Thr	Leu	Ile	Leu	Ala	Ile	Leu	His	His	Leu	Tyr	Phe	Tyr	His	Val	Gln				
145					150					155					160				
Cys	Ala	Gly	Met	Arg	Leu	Arg	Val	Ala	Met	Cys	His	Met	Ile	Tyr	Arg				
				165					170					175					
Lys	Ala	Leu	Arg	Leu	Ser	Asn	Met	Ala	Met	Gly	Lys	Thr	Thr	Thr	Gly				
			180					185					190						
Gln	Ile	Val	Asn	Leu	Leu	Ser	Asn	Asp	Val	Asn	Lys	Phe	Asp	Gln	Val				
		195					200					205							
Thr	Val	Phe	Leu	His	Phe	Leu	Trp	Ala	Gly	Pro	Leu	Gln	Ala	Ile	Ala				
	210					215					220								
Val	Thr	Ala	Leu	Leu	Trp	Met	Glu	Ile	Gly	Ile	Ser	Cys	Leu	Ala	Gly				
225					230					235					240				
Met	Ala	Val	Leu	Ile	Ile	Leu	Leu	Pro	Leu	Gln	Ser	Cys	Phe	Gly	Lys				
			245					250						255					
Leu	Phe	Ser	Ser	Leu	Arg	Ser	Lys	Thr	Ala	Thr	Phe	Thr	Asp	Ala	Arg				
			260					265					270						
Ile	Arg	Thr	Met	Asn	Glu	Val	Ile	Thr	Gly	Ile	Arg	Ile	Ile	Lys	Met				
		275					280					285							
Tyr	Ala	Trp	Glu	Lys	Ser	Phe	Ser	Asn	Leu	Ile	Thr	Asn	Leu	Arg	Lys				
	290					295					300								
Lys	Glu	Ile	Ser	Lys	Ile	Leu	Arg	Ser	Ser	Cys	Leu	Arg	Gly	Met	Asn				
305					310					315					320				
Leu	Ala	Ser	Phe	Phe	Ser	Ala	Ser	Lys	Ile	Ile	Val	Phe	Val	Thr	Phe				
			325						330					335					
Thr	Thr	Tyr	Val	Leu	Leu	Gly	Ser	Val	Ile	Thr	Ala	Ser	Arg	Val	Phe				
			340					345					350						
Val	Ala	Val	Thr	Leu	Tyr	Gly	Ala	Val	Arg	Leu	Thr	Val	Thr	Leu	Phe				
		355					360					365							
Phe	Pro	Ser	Ala	Ile	Glu	Arg	Val	Ser	Glu	Ala	Ile	Val	Ser	Ile	Arg				
	370					375					380								
Arg	Ile	Gln	Thr	Phe	Leu	Leu	Leu	Asp	Glu	Ile	Ser	Gln	Arg	Asn	Arg				
385					390						395				400				

Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr
 405 410 415
 Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser
 420 425 430
 Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly
 435 440 445
 Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro
 450 455 460
 Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln
 465 470 475 480
 Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly
 485 490 495
 Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala
 500 505 510
 Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile
 515 520 525
 Gly Asp Arg Gly Thr Thr Leu Ser Gly Gly Gln Lys Ala Arg Val Asn
 530 535 540
 Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp
 545 550 555 560
 Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu
 565 570 575
 Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His
 580 585 590
 Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp
 595 600 605
 Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly
 610 615 620
 Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln
 625 630 635 640
 Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu
 645 650 655
 Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly
 660 665 670
 Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu
 675 680 685
 Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr
 690 695 700
 Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Leu
 705 710 715 720

Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln Asp Trp Trp Leu Ser
 725 730 735
 Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val Thr Val Asn Gly Gly
 740 745 750
 Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp Tyr Leu Gly Ile Tyr
 755 760 765
 Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly Ile Ala Arg Ser Leu
 770 775 780
 Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln Thr Leu His Asn Lys
 785 790 795 800
 Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu Phe Phe Asp Arg Asn
 805 810 815
 Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys Asp Ile Gly His Leu
 820 825 830
 Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe Ile Gln Thr Leu Leu
 835 840 845
 Gln Val Val Gly Val Val Ser Val Ala Val Ala Val Ile Pro Trp Ile
 850 855 860
 Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe Ile Phe Leu Arg Arg
 865 870 875 880
 Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg Leu Glu Ser Thr Thr
 885 890 895
 Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser Leu Gln Gly Leu Trp
 900 905 910
 Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys Gln Glu Leu Phe Asp
 915 920 925
 Ala His Gln Asp Leu His Ser Gly Leu Ser Ile Ser Gly Asn Gly Phe
 930 935 940
 Lys Gly Gln Asp Leu Leu Leu Phe Leu Ala
 945 950

<210> 24
 <211> 301
 <212> PRT
 <213> Homo sapiens

<400> 24
 Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
 1 5 10 15
 Asn Ile Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
 20 25 30

Ile Gly His Lys Arg Arg Leu Glu Glu Asp Asp Met Tyr Ser Val Leu
 35 40 45
 Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
 50 55 60
 Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu
 65 70 75 80
 Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly
 85 90 95
 Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe
 100 105 110
 Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser
 115 120 125
 Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys
 130 135 140
 Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln
 145 150 155 160
 Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg
 165 170 175
 Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly
 180 185 190
 Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val
 195 200 205
 Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala
 210 215 220
 Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly
 225 230 235 240
 Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys
 245 250 255
 Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg
 260 265 270
 Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met
 275 280 285
 Tyr Ala Cys Gly Lys Thr Gly Ser Ser Glu Ser Leu Ala
 290 295 300

<210> 25
 <211> 336
 <212> PRT
 <213> Homo sapiens

<400> 25
 Met Gly Met Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn

29

Thr Ser Asn Gly Gln Pro Ser Thr Leu Thr Ile Phe Glu Thr Ala Leu
 325 330 335

<210> 26
 <211> 470
 <212> PRT
 <213> Homo sapiens

<400> 26
 Met Lys Pro Pro Arg Arg Pro Ala Cys Ala Val Trp Trp Ile Arg Asp
 1 5 10 15

His Gly Ala Trp Glu Ala Ala Gly Phe Ser Ala Pro Ser Leu Thr Glu
 20 25 30

Leu Phe Ser Leu Ser Val Ser Pro Ala Arg Ser Pro Val Phe Ser His
 35 40 45

Leu Ser Ser Ser Leu Gln Gly Leu Trp Thr Ile Arg Ala Tyr Lys Ala
 50 55 60

Glu Glu Arg Cys Gln Glu Leu Phe Asp Ala His Gln Asp Leu His Ser
 65 70 75 80

Glu Ala Trp Phe Leu Phe Leu Thr Thr Ser Arg Trp Phe Ala Val Arg
 85 90 95

Leu Asp Ala Ile Cys Ala Met Phe Val Ile Ile Val Ala Phe Gly Ser
 100 105 110

Leu Ile Leu Ala Lys Thr Leu Asp Ala Gly Gln Val Gly Leu Ala Leu
 115 120 125

Ser Tyr Ala Leu Thr Leu Met Gly Met Phe Gln Trp Cys Val Arg Gln
 130 135 140

Ser Ala Glu Val Glu Asn Met Met Ile Ser Val Glu Arg Val Ile Glu
 145 150 155 160

Tyr Thr Asp Leu Glu Lys Glu Ala Pro Trp Glu Tyr Gln Lys Arg Pro
 165 170 175

Pro Pro Ala Trp Pro His Glu Gly Val Ile Ile Phe Asp Asn Val Asn
 180 185 190

Phe Met Tyr Ser Pro Gly Gly Pro Leu Val Leu Lys His Leu Thr Ala
 195 200 205

Leu Ile Lys Ser Gln Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala
 210 215 220

Gly Lys Ser Ser Leu Ile Ser Ala Leu Phe Arg Leu Ser Glu Pro Glu
 225 230 235 240

Gly Lys Ile Trp Ile Asp Lys Ile Leu Thr Thr Glu Ile Gly Leu His
 245 250 255

Asp Leu Arg Lys Lys Met Ser Ile Ile Pro Gln Glu Pro Val Leu Phe

260	265	270
Thr Gly Thr Met Arg Lys Asn Leu Asp Pro Phe Asn Glu His Thr Asp		
275	280	285
Glu Glu Leu Trp Asn Ala Leu Gln Glu Val Gln Leu Lys Glu Thr Ile		
290	295	300
Glu Asp Leu Pro Gly Lys Met Asp Thr Glu Leu Ala Glu Ser Gly Ser		
305	310	315
Asn Phe Ser Val Gly Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Ile		
325	330	335
Leu Arg Lys Asn Gln Ile Leu Ile Ile Asp Glu Ala Thr Ala Asn Val		
340	345	350
Asp Pro Arg Thr Asp Glu Leu Ile Gln Lys Lys Ile Arg Glu Lys Phe		
355	360	365
Ala His Cys Thr Val Leu Thr Ile Ala His Arg Leu Asn Thr Ile Ile		
370	375	380
Asp Ser Asp Lys Ile Met Val Leu Asp Ser Gly Arg Leu Lys Glu Tyr		
385	390	395
Asp Glu Pro Tyr Val Leu Leu Gln Asn Lys Glu Ser Leu Phe Tyr Lys		
405	410	415
Met Val Gln Gln Leu Gly Lys Ala Glu Ala Ala Ala Leu Thr Glu Thr		
420	425	430
Ala Lys Gln Val Tyr Phe Lys Arg Asn Tyr Pro His Ile Gly His Thr		
435	440	445
Asp His Met Val Thr Asn Thr Ser Asn Gly Gln Pro Ser Thr Leu Thr		
450	455	460
Ile Phe Glu Thr Ala Leu		
465	470	

CORRECTED VERSION

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 December 2003 (18.12.2003)

PCT

(10) International Publication Number
WO 2003/104404 A2

- (51) International Patent Classification⁷: C12N
(21) International Application Number: PCT/US2003/017772
(22) International Filing Date: 5 June 2003 (05.06.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data: 60/386,651 6 June 2002 (06.06.2002) US
(71) Applicant (for all designated States except US): AVALON PHARMACEUTICALS, INC. [US/US]; 20358 Seneca Meadows Parkway, Germantown, MD 20876 (US).
(72) Inventor; and
(75) Inventor/Applicant (for US only): EBNER, Reinhard [US/US]; 9906 Shelburne Terrace #316, Gaithersburg, MD 20878 (US).
(74) Agents: GRANT, Alan, J. et al.; Bain, Gilfillan, Cecchi, Stewart & Olstein, 6 Becker Farm Road, Roseland, NJ 07068 (US).
(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
Published:
— without international search report and to be republished upon receipt of that report
(48) Date of publication of this corrected version: 21 May 2004
(15) Information about Correction: see PCT Gazette No. 21/2004 of 21 May 2004, Section II
For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CANCER-LINKED GENE AS TARGET FOR CHEMOTHERAPY

(57) Abstract: Cancer-linked gene sequences, and derived amino acid sequences, are disclosed along with processes for assaying potential antitumor agents based on their modulation of the expression of these cancer-linked genes. Also disclosed are antibodies that react with the disclosed polypeptides and methods of using the antibodies to treat cancerous conditions, such as by using the antibody to target cancerous cells *in vivo* for purposes of delivering therapeutic agents thereto. Also described are methods of diagnosing using the gene sequences as well as the polypeptide sequences, especially for diagnosing prostate cancer.

WO 2003/104404 A2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.